

Fort Hood Training Support Center

2006 Digital Catalog

Version 7.0

15 December 2005

WINDOWS XP/2000

www.hood.army.mil/tsc





Table of Contents

Introduction	
Phone List	
Map of TSC Facilities	
Alphabetical Listing of Counties Supported	
Catalog of Products and Services	
Order DoD Video Productions on the Web	
Graphic Training Aids (GTAs) on the Web	
TSC Forms	
Property Accountability	
Customer Service Center	
Visual Information Production Center	
Graphics Section	
Self-Help	
Photo Section	
DAPMIS Instructions	
TV Section	
Devices Fabrication	
Training Aids, Devices, Simulators & Simulations	
Training Aids Warehouse	
EST Trainer	
EST Convoy Trainer	
IMTS	
OFT	
Presentation Services	
VTC	
Aviation	1 Series
Chemical	3 Series
Engineers	5 Series






Table of Contents

Field Artillery	6 Series
Infantry	7 Series
Medical	8 Series
Ordnance	9 Series
Quartermaster	10 Series
Signal	11 Series
Adjutant General	12 Series
Judge Advocate General	15 Series
Chaplain	16 Series
Armor	17 Series
Military Police	19 Series
Safety, Foreign Countries, Misc. General	20 Series
Individual Soldier	21 Series
Leadership, Courtesy & Drill	22 Series
Weapons	23 Series
Military Law	27 Series
Military Intelligence	30 Series
Special Operations	31 Series
Security	32 Series
Supply, Shipping & Logistics Management	38 Series
Civil Affairs/Military Government	41 Series
Air Defense	44 Series
Army Aviation	46 Series
Transportation	55 Series
Airborne	57 Series
Supervision, Office OPS, Management, ADP	61 Series
Miscellaneous	99 Series
Audio Visual Equipment	



INTRODUCTION

Training Support Center (TSC) Catalog

Welcome to the world of Ft. Hood's Training Support Center (TSC)! We, at TSC, are proud to present the all-new 2006 Training Support Catalog in both web page and CD-ROM format. Our purpose is to provide every supported unit and soldier with the right training support product at the right time to make your training at Ft. Hood real and relevant.

Accessing our catalog through the web permits users to selectively scan and print the pages that pertain to their training requirements. The web site also offers us the opportunity to provide interim updates as new products become available. The CD-ROM version is available to those that do not have web access. We're confident that the information in the catalog, coupled with the information on our web pages, will provide you, our valued customers, with the most comprehensive and up-to-date information possible.

Please don't hesitate to call our Customer Service Center at (254) 287-3909/4960 for information and expert guidance on all TSC products and services. Our Customer Service Center operating hours are Monday through Friday, 0730-1600. We frequently provide after-hours services, if the need arises.

Our most valuable resources, our TSC team members, are committed to provide you products and services of the highest quality every time. Your feedback comments and valuable suggestions are always welcome and help us achieve this goal. The Ft. Hood Training Support Center team takes great pride in satisfying our customers' training needs. Your training success is our business.

Tommie W. Tucker
Visual Information Manager

TSC – Where training starts!
GEAR UP!



TSC Phone List

Visual Information Manager

Contract Officer's Representative (COR) (254) 287-6003 (DSN 737-6003)
Building 229
Fort Hood, Texas 76544

Property Administrator

Building 229 (254) 287-5669 (DSN 737-5669)
Fort Hood, Texas 76544

Project Manager

Ki, LLC. (254) 287-5928 (DSN 737-5928)
P.O. Box 5338
Fort Hood, Tx. 76544-5056

Customer Service Center

(Photo Appointments) (254) 287-3909/4960 (737-3909/4960)
Building 229 Fax # (254) 288-7675 (DSN 738-7675)
Fort Hood, Texas 76544

Training Aids Warehouse &

VI Customer Service Center (254) 287-4593 (DSN 737-4593)
Building 230 Fax # (254) 287-3936 (DSN 737-3936)
Fort Hood, Texas 76544


Property Book Office

(Update or change account Information) (254) 287-2669 (DSN 737-2669)
Building 229 Fax # (254) 287-3936 (DSN 737-3936)
Fort Hood, Texas 76544

Training Aids, Devices, Simulators

and Simulations (TADSS) (254) 287-2488 (DSN 737-2488)
Building 19036 Fax # (254) 287-1808 (DSN 737-1808)
Fort Hood, Texas 76544

Questions/Information 287-4960/3909



Training Support Center
Fort Hood, Texas

ALPHABETICAL LISTING OF COUNTIES SUPPORTED BY FORT HOOD TSC

<i>Anderson</i>	<i>Eastland</i>	<i>Kimble</i>	<i>Runnels</i>
<i>Andrews</i>	<i>Ector</i>	<i>King</i>	<i>Rusk</i>
<i>Angelina</i>	<i>Ellis</i>	<i>Knox</i>	<i>San Jacinto</i>
<i>Archer</i>	<i>El Paso</i>	<i>Lampasas</i>	<i>San Saba</i>
<i>Baylor</i>	<i>Falls</i>	<i>Leon</i>	<i>Schackelford</i>
<i>Bell</i>	<i>Fannin</i>	<i>Limestone</i>	<i>Schleicher</i>
<i>Borden</i>	<i>Franklin</i>	<i>Llano</i>	<i>Scurry</i>
<i>Bosque</i>	<i>Erath</i>	<i>Lubbock</i>	<i>Smith</i>
<i>Brazos</i>	<i>Fisher</i>	<i>Lynn</i>	<i>Stephens</i>
<i>Brown</i>	<i>Freestone</i>	<i>Madison</i>	<i>Sterling</i>
<i>Burleson</i>	<i>Gaines</i>	<i>Martin</i>	<i>Somevell</i>
<i>Burnet</i>	<i>Garza</i>	<i>Mason</i>	<i>Stonewall</i>
<i>Callahan</i>	<i>Glasscock</i>	<i>McCulloch</i>	<i>Sutton</i>
<i>Camp</i>	<i>Grayson</i>	<i>McLennan</i>	<i>Tarrant</i>
<i>Cherokee</i>	<i>Gregg</i>	<i>Menard</i>	<i>Taylor</i>
<i>Clay</i>	<i>Grimes</i>	<i>Midland</i>	<i>Terry</i>
<i>Cockran</i>	<i>Hamilton</i>	<i>Milam</i>	<i>Throckmorton</i>
<i>Coke</i>	<i>Haskell</i>	<i>Mills</i>	<i>Tom Green</i>
<i>Coleman</i>	<i>Henderson</i>	<i>Mitchell</i>	<i>Titus</i>
<i>Collin</i>	<i>Hill</i>	<i>Montague</i>	<i>Trinity</i>
<i>Comanche</i>	<i>Hockley</i>	<i>Montgomery</i>	<i>Tyler</i>
<i>Concho</i>	<i>Hood</i>	<i>Morris</i>	<i>Upshur</i>
<i>Cooke</i>	<i>Hopkins</i>	<i>Nacogdoches</i>	<i>Upton</i>
<i>Coryell</i>	<i>Houston</i>	<i>Navarro</i>	<i>Walker</i>
<i>Crane</i>	<i>Howard</i>	<i>Nolan</i>	<i>Washington</i>
<i>Crockett</i>	<i>Hunt</i>	<i>Palo Pinto</i>	<i>Williamson</i>
<i>Crosby</i>	<i>Irion</i>	<i>Parker</i>	<i>Wise</i>
<i>Dallas</i>	<i>Jack</i>	<i>Polk</i>	<i>Wood</i>
<i>Dawson</i>	<i>Johnson</i>	<i>Rains</i>	<i>Yoakum</i>
<i>Delta</i>	<i>Jones</i>	<i>Reagan</i>	<i>Young</i>
<i>Denton</i>	<i>Kaufman</i>	<i>Robertson</i>	<i>Van Zandt</i>
<i>Dickens</i>	<i>Kent</i>	<i>Rockwall</i>	

Total Counties Served 127

HOW TO ACQUIRE TSC PRODUCTS & SERVICES

PRODUCTION OF	FILL OUT	SUBMIT TO	TELEPHONE/FAX	COMMENTS
GRAPHICS DEVICES TV PRODUCTION/SERVICES VIDEO/AUDIO TAPES CHANGE OF COMMAND PHOTOS PHOTO REPRODUCTION TV PUBLIC ANNOUNCEMENTS	DA FORM 3903 “ “ “ “ “ “ “ DA FORM 3903 and FHT FORM 25-X32	CUSTOMER SERVICE CENTER BLDG 229	Voice- (254) 287-3909 Fax – (254) 288-7675	» Be sure your work orders are complete and with signature » Call Customer Service Center to verify receipt of facsimile » Plan ahead for best results
SERVICES	FILL OUT	SUBMIT TO	TELEPHONE/FAX	COMMENTS
VI DESIGN & PLANNING CONSULTATIONS PRESENTATION SUPPORT HOWZE THEATER SUPPORT	DA FORM 3903	CUSTOMER SERVICE CENTER BLDG 229	Voice- (254) 287-3909 Fax – (254) 288-7675	» Complex WOs may require consultation
VIDEO TELECONFERENCING (VTC)	DA FORM 3903	CONFERENCE ROOM 2 BLDG 1001	Voice- (254) 288-3399 Fax – (254) 287-6894	» Consultations normally required
VI SERVICE CENTER – TRAINING AIDS WAREHOUSE	DA FORM 1687 FHT FORM 25-X22 TSC DAMAGE LOSS MEMO 5050-503	CUSTOMER SERVICE COUNTER BLDG 230	Voice- (254) 287-3619 Fax – (254) 287-3936	» DA Form 1687 for signature authority » FHT Form 25-X22 for temporary loan » TSC memo for property accountability
TRAINING AIDS, DEVICES, SIMULATORS AND SIMULATIONS (TADSS) AND MULTIPLE INTEGRATED LASER ENGAGEMENT SYSTEM (MILES)	DA FORM 1687 FHT FORM LETTER 25-X1 TSC DAMAGE LOSS MEMO 5050-503	TADSS MAIN WAREHOUSE BLDG 19036	Voice- (254) 287-2488	» DA Form 1687 for signature authority » FHT Form 25-X22 for temporary loan » TSC memo for property accountability


For More information visit our **web site** at <http://www.hood.army.mil/tsc/> Or our **Public Folder** at <outlook:\Public Folders\All Public Folders\Fort Hood Public Folders\Garrison Public Folders\Directorate of Plans, Training, and Security (DPTS)\Training Support Center>

HOW TO ACQUIRE TSC PRODUCTS & SERVICES

SERVICES	FILL OUT	SUBMIT TO	TELEPHONE/FAX	COMMENTS
OBSERVED FIRE TRAINER (OFT)	DA FORM 3903	OFT BLDG 19031	Voice- (254) 287-3374 Fax – (254) 553-0435	» Plan ahead for best results
IMPROVED MOVING TARGET SIMULATOR (IMTS)	DA FORM 3903	IMTS BLDG 19030	Voice- (254) 287-3640	» Plan ahead for best results
PROPERTY BOOK AND TSC ACCOUNT MANAGEMENT	DA FORM 1687 DA FORM 3161 DA FORM 2062	PBO BLDG 229	Voice- (254) 287-2669 Fax – (254) 287-3936	» DA Form 1687 for signature authority » DA Form 2062 Hand Receipt for long term loan » DA Form 3161 Request for Issue/Turn-In for short term loan
CLASSES	FILL OUT	SUBMIT TO	TELEPHONE/FAX	COMMENTS
TWGSS PGS TSV	DA FORM 3903	TADSS MAIN WAREHOUSE BLDG 19036	Voice- (254) 287-2488	» Call to arrange date/time
ENGAGEMENT SKILLS TRAINER 2000 (EST)	DA FORM 3903	OFT BLDG 19031	Voice- (254) 287-3374 Fax – (254) 553-0435	» Be sure your work orders are complete and with signature » Call for dates/times » Plan ahead for best results
GRAPHICS SELF-HELP	NO FORM REQUIRED CALL (254) 288-0959	SELF-HELP CENTER BLDG 229	Voice- (254) 288-0959	» Call to schedule a class » Check bulletin or call for dates/times

For More information visit our **web site** at <http://www.hood.army.mil/tsc/> Or our **Public Folder** at <outlook:\Public Folders\All Public Folders\Fort Hood Public Folders\Garrison Public Folders\Directorate of Plans, Training, and Security (DPTS)\Training Support Center>

Searching the Web to Obtain DoD Training Videos as simple as one click.



Ordering Training Videos

DEFENSE VISUAL INFORMATION

The Defense Visual Information (DVI) Directorate develops policy and procedure regarding the management of Visual Information in the Department of Defense (DoD).

Ordering Videos Online

Fort Hood TSC does not loan or reproduce DA videotapes locally.

To acquire Video Media, please visit: <http://dodimagery.afis.osd.mil/davis/>. Please ***DO NOT*** print out your request for videotapes and bring it to Fort Hood TSC for service. Send your request directly to Joint Visual Information Services Distribution Activity (JVISDA) and receive Video Media by mail from them.

The Defense Automated Visual Information System/Defense Instructional Technology Information System ([DAVIS/DITIS](#)) site contains the searchable listings and descriptions of thousands of audiovisual (AV) productions and interactive multimedia instruction (IMI) products used by the Department of Defense (DoD).

Disclaimer for External Link

The appearance of hyperlinks on this page does not constitute endorsement (by the Federal Government, Department of Defense, the Fort Hood Training Support Center, or Director of Information Management, Fort Hood Texas) of linked web sites or the information, products or services contained therein. For other than authorized activities such as military exchanges and Morale, Welfare and Recreation sites, the Fort Hood Training Support Center and Director of Information Management, Fort Hood Texas do not exercise any editorial control over the information you may find at linked locations. External links are provided consistent with the stated purpose of this DoD web site.

Graphic Training Aids

The Training Aids and Devices Loan Warehouse

Bldg 230

287-4593




- ✓ We have a large selection of GTAs in stock for issue. If we don't have it – we can get it, generally within two weeks.
- ✓ You do NOT have to be on signature card to get most of our GTAs.
- ✓ Some GTAs are *non-expendable*. That means that they are loaned and returnable (IE. Protractors). You DO have to be on Signature Card, DA Form 1687 to sign for these GTAs.

GTAs On-Line

If we don't have what you need and you need yours right away try getting them on line. The Reimer Digital Library (RDL) site has moved to:

<http://www.train.army.mil>

Simply go to the *Library Search* under *RDL Services* and follow directions. You can maximize these services by using your *Army Knowledge On Line (AKO)* account.



Disclaimer for External Link

The appearance of hyperlinks on this page does not constitute endorsement (by the Federal Government, Department of Defense, the Fort Hood Training Support Center, or Director of Information Management, Fort Hood Texas) of linked web sites or the information, products or services contained therein. For other than authorized activities such as military exchanges and Morale, Welfare and Recreation sites, the Fort Hood Training Support Center and Director of Information Management, Fort Hood Texas do not exercise any editorial control over the information you may find at linked locations. External links are provided consistent with the stated purpose of this DoD web site.

TSC FORMS



- **DA FORM 1687**
- **DA FORM 2062**
- **DA FORM 3161**
- **DA FORM 3903**
- **FHT FORM 25-X22**
- **FHT FORM LETTER 25-X1**
- **FHT FORM 25-X32 PUBLIC ANNOUNCEMENT**
- **TSC DAMAGE LOSS MEMO 5050-503**
- **TSC FORMS ON THE WEB**

<http://www.hood.army.mil/TSC>

NOTICE OF DELEGATION OF AUTHORITY – RECEIPT FOR SUPPLIES <i>For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.</i>					DATE	
AUTHORIZED REPRESENTATIVE(S)						
ORGANIZATION RECEIVING SUPPLIES				LOCATION		
LAST NAME-FIRST NAME-MIDDLE INITIAL	SOCIAL SECURITY NUMBER	AUTHORITY		SIGNATURE AND INITIALS		
		REQ	REC			
		<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>			
AUTHORIZATION BY RESPONSIBLE SUPPLY OFFICER OR ACCOUNTABLE OFFICER						
THE UNDERSIGNED HEREBY <input type="checkbox"/> DELEGATES TO <input type="checkbox"/> WITHDRAWS FROM <input type="checkbox"/> THE PERSON(S) LISTED ABOVE THE AUTHORITY TO:						
REMARKS						
I ASSUME FULL RESPONSIBILITY						
UNIT IDENTIFICATION CODE				DODAAC/ACCOUNT NUMBER		
LAST NAME-FIRST NAME-MIDDLE INITIAL	GRADE	TELEPHONE NUMBER	EXPIRATION DATE	SIGNATURE		

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, se DA PAM 710-2-1. The Proponent agency is ODCSLOG.</i>		FROM:		TO:				HAND RECEIPT NUMBER				
FOR ANNEX/CR ONLY	END ITEM STOCK NUMBER	END ITEM DESCRIPTION	PUBLICATION NUMBER			PUBLICATION DATE			QUANTITY			
STOCKNUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>		* <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	<i>g.</i> QUANTITY					
							A	B	C	D	E	F
<p>* WHEN USED AS A: HAND RECEIPT, enter Hand Receipt Annex number HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).</p>												

REQUEST FOR ISSUE OR TURN-IN (DA PAM 710-2-1)				ISSUE	SHEET NO. 1	NO SHEETS	1. REQUEST NO.		2. VOUCHER NO.	
				TURN-IN						
3. SEND TO:				4. DATE MATERIAL REQUIRED (YYYYMMDD)		5. DODAAC		6. PRIORITY	7. ACCOUNTING/FUNDING DATA	
8. REQUEST FROM:				9. END ITEM IDENT		9a. NAME/MANUFACTURER		9b. MODEL	9c. SERIAL NO.	
* CODE ISSUE TURN-IN <i>I-Initial</i> <i>FWT-Fair Wear And Tear</i> <i>R-Replacement</i> <i>RS-Report of Survey</i> <i>EX-Excess</i> <i>LT-Lateral Transfer</i> <i>SC-Stmt of Charges</i>						10. PUBLICATION			11. JOB ORDER NO.	
12. ITEM NO. <i>a</i>	STOCK NO. <i>b</i>	ITEM DESCRIPTION. <i>c</i>	UNIT OF ISSUE <i>d</i>	QUANTITY <i>e</i>	CODE* <i>f</i>	SUPPLY ACTION <i>g</i>	UNIT PRICE <i>h</i>	TOTAL COST <i>i</i>	<i>j.</i> POSTED	
									DATE (YYYYMMDD)	BY
							SHEET TOTAL		GRAND TOTAL	
13. ISSUE/TURN-IN "QUANTITY" COLM IS REQUESTED	DATE (YYYYMMDD)	BY		14. ISSUE QTY IN "SUPPLY ACTION" COLUMN	DATE (YYYYMMDD)	BY		15. REC QTY IN "SUPPLY ACTION" COLUMN	DATE (YYYYMMDD)	BY

MULTI-MEDIA/VISUAL INFORMATION (M/VI) WORK ORDER For use of this form, see AR-25-1; the proponent agency is CIO/G-6.				1. WORK ORDER NUMBER 2. SECURITY CLASSIFICATION Unclassified	
SECTION I - REQUIREMENT					
3. TO (M/VI Activity) <div style="text-align: center;"> Commander HQ III Corps & Fort Hood ATTN: AFZP-PTM-TS Fort Hood, TX 76544-5058 </div>			4. FROM (Customers Address) 		
6a. REQUESTOR'S NAME			6b. GRADE		5. CUSTOMER ACCOUNT NUMBER
6d. REQUESTOR'S EMAIL ADDRESS			6e. PHONE NUMBER		7. DATE REQUESTED (YYYYMMDD)
8a. ALTERNATE POC NAME			8b. GRADE		8c. ALTERNATE'S ORGANIZATION OR APO
8d. ALTERNATE'S EMAIL ADDRESS			8e. PHONE NUMBER		9. DATE REQUIRED (YYYYMMDD)
10. FUNCTIONAL AREA OF SUPPORT (Check One)					
a. Combat Readiness <input type="checkbox"/>		b. Education & Training <input type="checkbox"/>		c. Garrison/Theater Support <input type="checkbox"/>	
d. Intel, Recon, CI, Comm Security <input type="checkbox"/>		e. Internal Information <input type="checkbox"/>		f. Recruitment <input type="checkbox"/>	
g. Medical & Dental <input type="checkbox"/>		h. Public Information <input type="checkbox"/>		i. RDT&E <input type="checkbox"/>	
11a. TYPE OF WORK (Check Applicable Box(s))			11b. DESCRIPTION OF WORK REQUESTED (Attach diagrams, etc., and list enclosure(s))		
<input type="checkbox"/> IMAGING					
<input type="checkbox"/> (1) Imaging - Photo					
<input type="checkbox"/> (2) Imaging - Graphics					
<input type="checkbox"/> (3) Other Imaging					
<input type="checkbox"/> MULTIMEDIA (MSMO)					
<input type="checkbox"/> SERVICES					
<input type="checkbox"/> (1) Services - Presentation Support					
<input type="checkbox"/> (2) Services - Consultation					
<input type="checkbox"/> (3) Other Services					
<input type="checkbox"/> AUDIO					
<input type="checkbox"/> VIDEO					
<input type="checkbox"/> (1) Video - Documentation					
<input type="checkbox"/> (2) Video - Local Production					
<input type="checkbox"/> (3) Video - Non-Local Production					
<input type="checkbox"/> (4) Video - Video Report					
<input type="checkbox"/> (5) Other Video					
<input type="checkbox"/> OTHER - SPECIFY					
12. JUSTIFICATION FOR REQUESTED SERVICE			Requested service is for official purposes and is required by stated deadline.		
			13. VALIDATION SIGNATURE		
			14. M/VI APPROVAL		
SECTION II - WORK RECEIPT (Section II Through V for M/VI Activity Use Only)					
15. SPECIAL PROJECT CODE:					
16. ITEM/SERVICE		17. SIZE	18. COST		19. DATE COMPLETED (YYYYMMDD)
			a. BASELINE	b. ABOVE BASELINE	
20. CUSTOMER NOTIFIED (YYYYMMDD)		21a. RECEIVED BY (Signature)			21b. DATE RECEIVED (YYYYMMDD)

SECTION III – MANHOURS (In Quarter Hours)									
22. PERSONNEL ID	23. GRADE	24. TASK ID	25. RE-IMBURSABLE		26. HOURLY RATE	27. MANHOURS	28. OVERTIME	29. COMPTIME	30. COSTS
			YES <input type="checkbox"/>	NO <input type="checkbox"/>					
			YES <input type="checkbox"/>	NO <input type="checkbox"/>					
			YES <input type="checkbox"/>	NO <input type="checkbox"/>					
			YES <input type="checkbox"/>	NO <input type="checkbox"/>					
			YES <input type="checkbox"/>	NO <input type="checkbox"/>					
			YES <input type="checkbox"/>	NO <input type="checkbox"/>					
			YES <input type="checkbox"/>	NO <input type="checkbox"/>					
			YES <input type="checkbox"/>	NO <input type="checkbox"/>					
			YES <input type="checkbox"/>	NO <input type="checkbox"/>					
			YES <input type="checkbox"/>	NO <input type="checkbox"/>					
			YES <input type="checkbox"/>	NO <input type="checkbox"/>					
			YES <input type="checkbox"/>	NO <input type="checkbox"/>	Totals				

SECTION IV – CONTRACT DATA					
31. DATE COMPLETED	32. PRODUCT OR SERVICE ID	33. RE-IMBURSABLE		34. TOTAL NO. ITEMS OR SERVICE	35. CONTRACT COST
		YES <input type="checkbox"/>	NO <input type="checkbox"/>		
		YES <input type="checkbox"/>	NO <input type="checkbox"/>		
		YES <input type="checkbox"/>	NO <input type="checkbox"/>		
		YES <input type="checkbox"/>	NO <input type="checkbox"/>		
		YES <input type="checkbox"/>	NO <input type="checkbox"/>		

SECTION V – BILL OF MATERIAL(S)									
36. ITEM	37. QUANTITY	38. SIZE	39. RE-IMBURSABLE		40. ITEM	41. QUANTITY	42. SIZE	43. RE-IMBURSABLE	
			YES <input type="checkbox"/>	NO <input type="checkbox"/>				YES <input type="checkbox"/>	NO <input type="checkbox"/>
			YES <input type="checkbox"/>	NO <input type="checkbox"/>				YES <input type="checkbox"/>	NO <input type="checkbox"/>
			YES <input type="checkbox"/>	NO <input type="checkbox"/>				YES <input type="checkbox"/>	NO <input type="checkbox"/>
			YES <input type="checkbox"/>	NO <input type="checkbox"/>				YES <input type="checkbox"/>	NO <input type="checkbox"/>
			YES <input type="checkbox"/>	NO <input type="checkbox"/>				YES <input type="checkbox"/>	NO <input type="checkbox"/>
			YES <input type="checkbox"/>	NO <input type="checkbox"/>				YES <input type="checkbox"/>	NO <input type="checkbox"/>
			YES <input type="checkbox"/>	NO <input type="checkbox"/>				YES <input type="checkbox"/>	NO <input type="checkbox"/>
			YES <input type="checkbox"/>	NO <input type="checkbox"/>				YES <input type="checkbox"/>	NO <input type="checkbox"/>
			YES <input type="checkbox"/>	NO <input type="checkbox"/>				YES <input type="checkbox"/>	NO <input type="checkbox"/>
			YES <input type="checkbox"/>	NO <input type="checkbox"/>				YES <input type="checkbox"/>	NO <input type="checkbox"/>
Totals			YES <input type="checkbox"/>	NO <input type="checkbox"/>				YES <input type="checkbox"/>	NO <input type="checkbox"/>

TADSS LOAN REQUEST

TSC ACCOUNT# _____

TO: TRAINING AIDS DEVICES, SIMULATORS, SIMULATIONS, (TADSS)
III CORPS AND FORT HOOD, ATTN: AFZF-DPTS-TS, FT HOOD TX 76544-5050

1. REQUEST LOAN/ISSUE OF THE FOLLOWING:

AUDIO VISUAL EQUIPMENT

ITEM	REQ	LOANED

TRAINING AIDS/DEVICES

ITEM	REQ	LOANED

GTWS

ITEM	REQ	LOANED

2. UNIT _____

UNIT POC/PHONE#: _____

3. PICK UP DATE _____

TURN-IN DATE _____

4. Loaned item must be turned in on due date. Accounts in delinquent status will be frozen.
Missing or damaged items must be accounted for IAW AR 735-5.

**MEMORANDUM FOR: TRAINING AIDS, DEVICES, SIMULATORS, SIMULATIONS (TADSS)
III CORPS AND FORT HOOD, ATTN: AFZF-DPTS-TS, FT. HOOD TX. 76514-5056**

SUBJECT: TADSS LOAN REQUEST: TSC ACCOUNT# _____

1. REQUEST LOAN/ISSUE OF THE FOLLOWING:

<u>NOMENCLATURE</u>	<u>REQ</u>	<u>LOANED</u>	<u>NOMENCLATURE</u>	<u>REQ</u>	<u>LOANED</u>	
CONTROL GUN	_____	_____	EA	TWGSSA1	_____	EA
SMALL ARMS ALIGN FIXTURE	_____	_____	EA	TWGSSA2	_____	EA
VEHICLE TEXT SET	_____	_____	EA	PGS	_____	EA
MULTI RANGE ALIGN DEV	_____	_____	EA	CONTROL G	_____	EA
DRAGON	_____	_____	EA	TWGSSA	_____	EA
STINGER	_____	_____	EA	TSV	_____	EA
VIPER (4 PER CASE)	_____	_____	EA	AAR	_____	EA
CH-47 HELICOPTER	_____	_____	EA	PROS (1/10)	_____	EA
UH-60 HELICOPTER	_____	_____	EA		_____	EA
HOFFMAN	_____	_____	EA		_____	EA
CABLE ASSY SP CINGARS	_____	_____	EA		_____	EA
CABLE ASSY SP THRU-SIGHT	_____	_____	EA		_____	EA
TWGSS/PGS ADP	_____	_____	EA		_____	EA
VEH INTERCOM SYS	_____	_____	EA		_____	EA
M16 SAT (20 PER CASE)	_____	_____	EA		_____	EA
M60 TRANSMITTER (MG)	_____	_____	EA		_____	EA
M249 SAW TRANSMITTER	_____	_____	EA		_____	EA
M2 50 CAL TRANSMITTER	_____	_____	EA		_____	EA
LTID	_____	_____	EA		_____	EA
MTS	_____	_____	EA		_____	EA
SNIPER MILES	_____	_____	EA		_____	EA

**BLANK FIRING
ADAPTER**

M19 (50 CAL)	_____	_____	EA
M21 CHAMBER	_____	_____	EA
M21 ADAPTER	_____	_____	EA

DRY FIRE CABLE

SAT, M16/SAW M249	_____	_____	EA
M2 50 CAL	_____	_____	EA

2. UNIT _____

3. PICK UPDATE _____

4. TURN-IN DATE _____

5. MILES EQUIPMENT MUST BE TURNED IN 7 DAYS AFTER TRAINING ENDS.

6. REQUEST MUST BE SUBMITTED 30 DAYS PRIOR TO PICK UP DATE.

7. TYPE TRAINING SUPPORTED: _____

8. UNIT LOC IS: _____ TELEPHONE _____



- Please limit your message to no more than 5 lines of 40 characters each (including spaces).
- Each announcement is shown for 10-15 seconds.
- This service is available on Channel 10; 24 hours a day; 7 days a week (except when there is a program on the air).
- **Submit your request at least 2 weeks before you want the announcement to run**, on a DA Form 3903 to the Customer Service Center located on 42nd Street between Battalion and 761st Tank BN. Avenue, Building 229.

Cut on line and submit with DA Form 3903 to Customer Service Center

[illegible]

40 Characters in each line (including spaces) – Please submit with request 2 weeks prior to the announcement date/time

SAMPLE COMMANDER'S DAMAGE/LOSS STATEMENT

UNIT LETTER HEAD

Unit Attention Line

Date: 25 February 2004

MEMORANDUM FOR Property Administrator, Training Support Center (TSC),
Building 229, Battalion and 42nd St., Fort Hood, Texas 76544

SUBJECT: Damaged TSC Equipment

1. Reference: AR 735-5
2. TSC equipment damaged: Lecternette, Model _____ SN: _____. Request for Issue/Turn-In, DA Form 3161 dated _____, Hand Receipt Account#_____.
3. Damage statement:
 - a. During the period 14-15 December 2000, the Lecternette described above was damaged during transport from the parade field after a scheduled ceremony. The damage consisted of a broken knob and a hole in the fabric covering the speaker. The damage occurred as a result of vehicle overloading.
 - b. We tested the Lecternette at the unit and found that aside from the above damage all other parts were functioning correctly.
4. POC is the undersigned at 287-0000.

Hawkeye W. Half-Mast
SFC, USA
Section Supervisor

1st Ind

Attention Line

Date

1. I Concur/Do Not Concur with the statement in the basic letter.
2. I have reviewed the circumstances surrounding the damage to the above item and find no evidence of negligence or willful misconduct. No further investigation is required.

IMA D. BOSS
LTC, IN
Commander

SAMPLE COMMANDER'S DAMAGE/LOSS STATEMENT



Property Book

Accounts

Here are some simple steps and guidelines that will keep your TSC account up to par!

What is a TSC Account? Answer: A TSC account establishes property accountability. This, in turn, authorizes release of products and services for your battalion. Here are some simple rules:

- Only ONE account per battalion.
- Up to 8 authorized signatures per company level unit (2- DA Forms 1687s). Typically, up to 32 authorized signatures per battalion (8-DA Form 1687s).
- Two sets of DA Form 1687s are required. One set is required to draw MILES equipment from our warehouses in Buildings 19036, 56009, 56138. Another set is required to loan individual training aids from our warehouse in Building 230.

Step – 1 – Establish an account:

- Complete a memo to the TSC Property Administrator (see our PBO in Building 229).
- Complete DA Form 1687, Delegation of Authority (3 copies), signed by the Unit Commander or Account Holder (E6/GS-5 or above).
- Up to 4 persons per company level unit may be authorized to Request/Receive property.
- Must be within the geographic responsibility of Ft. Hood (AR 5-9).

Step – 2 – Change/Renew an account:

- Conduct joint 100% inventory of all TSC equipment on hand receipt at change of account holder.
- Submit new DA form 1687 at change of account holder or authorized persons on the account.
- Discrepancies reported on relief documents and updated DA Form 2062 is signed.
- A lapsed account is a frozen account. File new DA Form 1687 annually with authorized signatures if account is more than one

year old. If you forget, we will notify your battalion account holder.

Step – 3 – Close an account:

- Accounts are closed if they expire, are no longer required or upon unit inactivation. Turn-in loaned equipment and account for property to the TSC property administrator.

Delinquent Accounts

While we're on the subject of accounts, let's talk about delinquent accounts. An account is delinquent whenever you are late in turning in either MILES/TADSS equipment or individual training aids (including non-expendable GTAs).

Failing to turn-in training aids on time is a lose-lose situation.

- Your unit looks bad, the chain of command is embarrassed and no one is happy.
- You cannot borrow any additional equipment from any warehouse w/o special authorization.
- Another unit is deprived of equipment that they have reserved for training.

Property Accountability

Property Accountability is important. Damage/Loss of loaned TSC equipment can cause the account to be in jeopardy. Following these rules will keep your account in the clear.

- The battalion account holder is responsible for the entire account. This means that he must initiate the Report of Survey, if required.
- Damage/Loss of TSC equipment requiring a Commander's Statement (Ki FH Form 15-0003 Sample Damage Statement) must be signed by the Company Level Commander and reviewed by the Battalion Commander. Refer to AR 735-5 or contact our property administrator at 287-2669 for details.
- If you have sensitive items on permanent loan (Conversion kits and AT-4s), a monthly inventory is required per AR 710-2-1.
- Your account must be renewed annually.

Remember keeping your account clear and on time is a win-win!



Customer Service Center

Our Customer Service Center is in Building 229, at Battalion Avenue and 42nd Street. We're located behind the AAFES Gas Station and Car Wash. Call 287-3909 or 287-4960, or simply stop by, to make Photo Studio appointments, place work orders for TSC products and services or for expert information and guidance for all your training needs.



The vast majority of soldiers who come in contact with TSC products and services will make contact through our customer service representatives.

Our Customer Service Center team can help you with:

- Scheduling all requests for official photos.
- Receiving work order requests for:
 - ✓ Graphics Products and Services
 - ✓ Training Device Fabrication
 - ✓ AV Presentation Support
 - ✓ Location Photography and Digital Imaging Products
 - ✓ TV Production
 - ✓ Howze Theater Support



The TSC Customer Service Center is open from 0730-1600 Monday through Friday, including training holidays, to take care of customer requests and product pick-ups.



Visual Information Production Center

The Visual Information Production Center brings the power of state-of-the-art technology to you today. Our dedicated team of illustrators, still photographers and videographers can support you and your mission...

Our Graphics, Photo and TV Sections use digital technology to provide our customers with the highest quality graphic products, photographic images, and production videos available anywhere. Our award winning service and products have been featured in Army and Soldiers magazines and are widely recognized as among the best in the industry.

Key Facilities

- Graphics



- Photo



- TV Section





Graphics Section

**Building #233
Battalion Avenue**

Our professional illustrators can create a multitude of products using computer graphics and traditional drawing methods.

Digital Presentations

- *Digital Crests*
- *Slide Presentations*



Charts and Posters

- *Chart enlargements and mounting*

Publication Art

- *Camera Ready Art*
- *Color Separations*

Displays and Exhibits


- *Photographic & Artistic*



Consultation

- *Request a consultation to solve your special graphics needs*

Requests for Graphics Products should be submitted on DA Form 3903, at the Customer Service Center r, Building #229 on Battalion Avenue; between 0730 and 1600, Monday through Friday, except holidays. Fax DA Form 3903 to 254-288-7675. For additional information call the Customer Service Center at 287-3909.





Self-Help Graphic Arts Center


Our Self-Help Service Center for unit graphic aids.

☎ Call 288-0959 to schedule a class or for assistance.

Building 229, Battalion Avenue and 42nd St.

We're located behind the AAFES Gas Station and Car Wash.

The center is a fully equipped graphic arts facility equipped to provide units with the know-how and equipment to meet your graphic arts requirements.



At the Self-Help Center we assist you in the production of:

- ❑ Scheduling of all classes
- ❑ Black & White Enlargements
- ❑ Laminated or Dry Mounted Posters
- ❑ Charts, Signs, Duffel Bag Stencils
- ❑ Products can be mounted or produced using these products:

- ✓ Foam Core
- ✓ Vinyl
- ✓ Corrugated Plastic
- ✓ Double-Sided Laminate

- ❑ Classes are held Tuesdays at 0900 (May change subject to demand): ☎ Call 288-0959





Photo Section

Building #232

Battalion Avenue

The professional photographers of the Photo Section are experts at using the latest digital technology to capture images on location and in the studio.

Digital Photo and Imaging Products

- Official DA Photos
- Passport & Citizenship
- Medical Photography
- Command Photos
- Location Photos for official events & ceremonies
- Color prints and reproductions
- Color Posters
- Electronic Images

Our Photographers will contact requesters for consultation arrangements prior to an event when required. When an event is deemed to be historical in nature, requesters may be required to provide us with supplementary information (names of persons, groups or equipment and descriptions of pictured events) that will be used to prepare written captions to describe the historical imagery. Submission of qualifying materials to the Department of Defense become Visual Information Record Material and are a part of the Army historical record in accordance with Army regulations.



Activities requiring services from the VIPC-Photo Section must complete DA Form 3903 and deliver it to the Customer Service Center in Building #229 at Battalion Avenue and 42nd Street as far in advance as possible. The Customer Service Center is open between 0730 and 1600, Mondays through Fridays, except on holidays. You can also fax your DA Form 3903 to 254-288-7675. For additional information, call the Center at 287-3909.

Official D.A. Photo support and other studio photographic services are provided at the Main, 1st Cavalry Division and 4th Infantry Division Studios.

Main Photo Studio



Building #231
Battalion Avenue

The Main Photo Studio is set up to take Official Department of the Army photographs, chain-of-command photos, passport and citizenship photos.

The Main Photo Studio is open Monday - Friday from 0800 to 1130 and 1230 to 1600 hours, except holidays. This studio is operated on a **Same Day**

Appointment basis, Customers must check in at the Customer Service Center in Building #229 to secure a slot. For additional information call 287-3909.



Our satellite studios at the 1st Cavalry and 4th Infantry Division Headquarters buildings are set up to take official Department of the Army and Chain-of-Command photos. These studios are operated **by appointment only.** Customers must make an appointment through the TSC Customer Service Center by calling 287-3909 or 287-4960. Customers are urged to make their appointments early to have their photos made before the rush that precedes promotion board due dates. Don't delay – the schedule fills up quickly!

Satellite Studio Locations and Operating Hours:



1st Cavalry Division Studio
Building #28000
67th Street & Battalion Avenue
1st Floor, Room 1026



4th Infantry Division Studio
Building #410
24th Street & Battalion Avenue
1st floor, Room 108F





Department of the Army Photo Management Information System

DAPMIS INSTRUCTIONS

The Army is now using electronic photos exclusively for almost all Promotion Boards. The Fort Hood Training Support Center is an active participant in the Department of the Army Photo Management Information System (DAPMIS), an Army-wide digital repository of Official Promotion Photos for Army personnel.

When you have your promotion photo taken in a Fort Hood TSC Studio, it will be uploaded into the DAPMIS system after your session. You then have the opportunity to review your official photo from a computer with internet access and either accept or reject it. It is important to understand that reviewing your photo on the Web is optional. If you do not log in to the web site to accept/reject your photo within three business days after it is available on-line, the new image will automatically become your Official DA Photo. This new photo will be exactly the same as the one you previewed at the studio. No changes are made by TSC or PERSCOM.



Our photographers are experienced at taking DA Photos but they are not magicians! We can make a properly fitting uniform look great, but a badly fitting uniform will still look bad. Please keep in mind that natural wrinkles from the wear of the uniform are acceptable and are not justification for a retake. In addition, errors in the wear of the uniform may not be grounds to have your photo shot again. Scrutinize your uniform BEFORE coming to the studio. If you reject your photo, and wish to replace it, your request for a retake must be justified.

Hard copy photos are no longer required for most Officer and Enlisted personnel and will no longer be provided to these soldiers. Hardcopy photographs are also no longer required for Army National Guard and Reserve enlisted soldiers whose selection boards are held at Human Resource Command-St. Louis if they can be uploaded to DAPMIS. To review your photo on the DAPMIS web site, you must use Internet Explorer (6.0 or higher). One of the following methods for accessing the DAPMIS web site must be performed within 3 days of the photo facility entering the photo into the DAPMIS system.

DIRECTLY:

- Go to <https://isdtrad16.hoffman.army.mil/dapmis/ImageAcceptProlog.do>

FROM AKO:

- Log into the AKO Portal and then go to the "My Personnel" Section
- Click on the link for "DA Photo Management Info System (DAPMIS)"

FROM THE HUMAN RESOURCES COMMAND WEB SITE

- Go to <https://www.hrc.army.mil/indexflash.asp>
- Click on one of the Active Duty links for HRC Alexandria or HRC Indianapolis
- From either of those web sites click on the DAPMIS link

Then do the following:

1. Enter your AKO login and password in the security popup window if prompted to do so.
2. From the DAPMIS intro page click on Photo View.
3. On the Photo View and Acceptance screen you will either accept or reject the new photo to be your DA Official Photo.



Please note that photos are typically uploaded into the DAPMIS system within 1-2 business days of the soldier being photographed. Due to technical limitations and other circumstances beyond our control (network and/or internet outages, problems with the DAPMIS web site, etc.) we cannot guarantee this turnaround time.

If you have any comments or questions, please e-mail them to dapmis@hoffman.army.mil. The effectiveness of this system and future improvements will be based on your comments.



TV Section



**Building #4611
Railhead Drive**

TSC Television Section has state-of-the-art production equipment with highly trained Video Producers...

Key Products

■ Closed Circuit Television (CCTV) Playback.

TSC operates Fort Hood Channel 10 which is available to Fort Hood personnel and residents on the Fort Hood cable television system. The Pentagon Channel, a new programming service from DoD, can now be seen on Fort Hood TSC-TV, Channel 10. The channel features live coverage of Department of Defense news briefings as well as regular interviews with top Defense officials. Channel 10 carries a portion of The Pentagon Channel's lineup of programming throughout the day and night.

In addition to programming from the Pentagon Channel, several local programs remain on Channel 10. These programs include "Fort Hood On Track" the weekly Command Information news program from III Corps Public Affairs, the monthly "Community Services Council Meeting", the quarterly "TV Town Hall" and more. During the time that there are no scheduled programs, local community announcements are displayed. For more information about programming, contact the Public Affairs Office at 287-4003.



Public Announcements can be submitted using the form FHT FORM 25-X32 PUBLIC ANNOUNCEMENTS.doc and submitting DA Form 3903 to the Customer Service Center in Building #229. Call Customer Service Center at 287-3909 for information.

■ Video Products & Reproductions

Fort Hood video and unit training tapes can be edited and dubbed. There is a minimum seven-day turn around.

Video Products can be reproduced in ½" VHS, Betacam SP, DVCAM and DVD (in limited amounts). Audiotapes are reproduced.

TSC reserves the right to refuse duplication of materials covered by Federal, State or Department of Defense Copyright laws or directives.



Sufficient justification must be on or attached to the DA Form 3903 and taken to the Customer Service Center, Building #229 on Battalion Avenue; between 0730 and 1600, Monday through Friday, except holidays. Fax DA Form 3903 to 254-288-7675. For additional information call the Customer Service Center at 287-3909.

■ Television Documentation Taping

TSC offers customers videotaping of briefings, official events, historical and other official ceremonies. Professional editing and dubbing can also be provided.

Work requests must include time and place of event, target audience and justification. (Who, What, When, Where and Why?)

Requests for Documentation Videotaping are made on DA Form 3903 and submitted to the Customer Service Center, Building #229 on Battalion Avenue; between 0730 and 1600, Monday through Friday, except holidays. Fax DA Form 3903 to 254-288-7675. For additional information call the Customer Service Center at 287-3909.

Requesters may be required to provide videographers with supplementary information regarding the subjects photographed. This information will be used to prepare captions for events of historical significance. Captions of historical events are required by regulation.





Devices Fabrication



Building #1156
Hell on Wheels Avenue

This section provides design and fabrication capability for training aids/devices which are not available through normal supply and equipment channels. Whether it's made from wood, plastic or metal, the TSC Devices Team can build it for you...

Key Products

- Terrain Boards
- Map Boards
- Commanders Boards
- Icon Holders
- Training Mines
- Displays
- Mock-ups
- Field Signs
- Classroom equipment for field use
- Scale models of vehicles and equipment



All training aids and devices produced by TSC are the property of the U.S. Army and under the property book control of TSC. Customers must be an authorized hand receipt holder in order to pick up these items or products.

Requests for fabrication of training devices should be submitted on DA Form 3903, at the Customer Service Center, Building #229 on Battalion Avenue; between 0730 and 1600, Monday through Friday, except holidays. Fax DA Form 3903 to 254-288-7675. For additional information call the Customer Service Center at 287-3909.





TADSS

Training Aids, Devices, Simulators and Simulations (TADSS)

■ **Call 285-5063** for the TSC TADSS Specialist in Bldg 229, Battalion Ave. and 42nd St..

TADSS provides all units training at Fort Hood with a wide variety of essential training support products and services.

➤ **Simulators**

- ❑ **MILES - Multiple Integrated Laser Engagement System** for soldiers, combat and combat support vehicles. MILES equipment is warehoused at TADSS East - Bldg 56009 and TADSS West - Bldg 56138. Administrative functions and scheduling is handled at TADSS Main – Bldg 19036, 254-287-2488.
- ❑ **TSV - Thru Sight Video** – After action reviews for gunnery and tactical training.
- ❑ **TWGSS - Tank Weapons Gunnery Simulations System** – vehicle mounted gunnery training system that simulates the main gun and coaxial machine gun for the Abrams M2 tank.
- ❑ **PGS - Precision Gunnery System** – Vehicle mounted gunnery training system that simulates the main gun and coaxial machine gun for the Bradley Fighting vehicle.
- ❑ **AGES – Air Ground Engagement System II** – incorporates MILES on the AH 64-Apache and OH-58D Kiowa.
- ❑ **Training Aids Warehouse** – Bldg 230, 254-287-4593 – Contains a wide variety of individual and team training aids and Graphic Training Aids (GTAs).
 - ✓ Resuscitation Annies
 - ✓ Plastic Weapons
 - ✓ Mine kits
 - ... and over 5,000 more!

➤ **Simulations**

- ❑ **EST – Engagement Skills Trainer** – realistic marksmanship and combat scenario training for 12 of the most common small arms and crew served weapons.
- ❑ **IMTS – Improved Moving Target Simulator** – Air Defense Training for Stinger Missiles.
- ❑ **OFT – Observed Fire Trainer** – realistic instruction for the artillery forward observer for the adjustment of fire and fire planning.

➤ **Device Fabrication**

- ❑ **Our shop provides local design and fabrication for training aids/devices not available through normal supply and equipment channels.**
 - ✓ Terrain Boards
 - ✓ Maps Boards
 - ✓ Mines
 - ...and any other device needed to satisfy your requirements.



TADSS Warehouse

TADSS Main Warehouse

Building #19036
North Avenue

Located on North Avenue near the intersection of Sportsman's Loop.
The TADSS Warehouse provides loan and storage for the following Fort Hood's TADSS equipment.

- *MILES*
- *TSV*
- *TWGSS*
- *PGS*
- *AGES*



TADSS East and West Warehouse

For customers' convenience, TSC has an East and West Warehouse for pick up and drop off of TADSS loan equipment. All requests for TADSS equipment must go through the TADSS Main Warehouse.

TADSS East Warehouse is building # 56009

Located on Murphy Road by the Ivy Scale Range.

TADSS West Warehouse is building # 56138

Located on West Range Road by the 1st Cav Pegasus Scale Range.

Requests for TADSS equipment can be made at the TADSS Main Warehouse, Building #19036, on DA Form 3903. Forms can be faxed to 254-287-1808. For additional information call 254-287-2488.

Contact Teams

TSC has four Contact Teams that support units in the field for

- On the spot repair and troubleshooting
- Direct Exchange of damaged, defective, and lost equipment



Requests for Contact Team Support can be made at the TADSS Main Warehouse, Building #19036, on DA Form 3903. Forms can be faxed to 254-287-1808. For additional information call 254-287-2488.

Multiple Integrated Laser Engagement System (MILES)

MILES is a family of training systems which uses lasers to simulate the effects of direct fire weapons at their operational ranges. MILES operates in a fully integrated tactical training environment. MILES is available for the soldier, M16, Dragon, HMMWV, TOW, M113, M2/3, M1A1, M1A2, OH-58, OH1, and ADA units...



Key Benefits

- Maneuver training
- Gunnery training Table IV
- FH REG 350-1 Units will train on the installation, operation, troubleshooting and maintenance of MILES within 90 days of deployment to NTC

Requests for MILES equipment can be made at the TADSS Main Warehouse, Building #19036, both DA Form 3903 and FH Form 25-X1 must be submitted. Forms can be faxed to 254-287-1808.

Thru-sight Video (TSV)

TSV is used for After Action Reviews (AAR) for gunnery and tactical training of Tank and Bradley personnel. TSV consists of a TV camera linked to the gunner's primary sight. The capability to record the gunner's sight image on video and crew communications on audio provides an added dimension to training exercise reviews. Leaders can verify gunner's performance, and assess training effectiveness by reviewing videotapes. Monitoring gunnery from range towers provides real time data for on the spot correction to enhance gunner's performance....

Key Benefits

- **Gunnery/Maneuver**

Requests for TSV equipment can be made at the TADSS Main Warehouse, Building #19036, both DA Form 3903 and FH Form 25-X1 must be submitted. Forms can be faxed to 254-287-1808. For additional information call 254-287-2488.

Train-up time is required. Training is coordinated by TADSS personnel at the TADSS Main Warehouse, Building #19036, submit DA Form 3903. Forms can be faxed to 254-287-1808. Training lasts one day. For additional information call 254-287-2488.

Tank Weapons Gunnery Simulations System (TWGSS)

TWGSS is a vehicle-mounted gunnery training system, which simulates main gun and coaxial machine gun firing for tanks. It is based on an eye safe laser system and reflectors; it is compatible with the MILES training device used in combination arms exercises. TWGSS is used with M1, M1A1, and M1A2 tanks...

Key Benefits

- **Gunnery/Maneuver**
- **Gunnery trainer**

Requests for TWGSS equipment can be made at the TADSS Main Warehouse, Building #19036, both DA Form 3903 and FH Form 25-X1 must be submitted. Forms can be faxed to 254-287-1808. For additional information call 254-287-2488.

Train-up time is required. Training is coordinated by TADSS personnel at the TADSS Main Warehouse, Building #19036, submit DA Form 3903. Forms can be faxed to 254-287-1808. Training lasts one week. For additional information call 254-287-2488.



Precision Gunnery System (PGS)

PGS is a vehicle-mounted gunnery training system, which simulates main gun and coaxial machine gun firing for Bradley's. It is based on an eye safe laser system and reflectors; it is compatible with the MILES training device used in combination arms exercises. PGS is used with 25mm, TOW and coax M2/M3 series BFV...

Key Benefits

- Gunnery/Maneuver
- Gunnery trainer

Requests for PGS equipment can be made at the TADSS Main Warehouse, Building #19036, both DA Form 3903 and FH Form 25-X1 must be submitted. Forms can be faxed to 254-287-1808. For additional information call 254-287-2488.

Train-up time is required. Training is coordinated by TADSS personnel at the TADSS Main Warehouse, Building #19036, submit DA Form 3903. Forms can be faxed to 254-287-1808. Training lasts one week. For additional information call 254-287-2488.

Air Ground Engagement System II (AGES)

AGES II incorporates MILES on AH-64 Apache and the OH-58D Kiowa Warrior. System will allow these aircraft to participate in force-on-force training exercises at the combat training centers. Weapons simulated include Hellfire rockets and 30mm...



Key Benefits

- NTC
- JRTC
- Train-up to NTC

Train-up time is required. Two hours of training coordinated by calling 254-288-2304.



Training Aids Warehouse

Training Aids and Device Loan Warehouse

Building #230

Corner of Battalion Avenue and 42nd Street

The Training Aids and Device Loan Warehouse provide a wide selection of equipment for short-term loan. A complete listing of Training Aids and Devices can be found in this Catalog...



Key Training Aids and Devices

■ First Aid Training Aids

- *Resuscitation Annies*
- *IV Arms*
- *Mark-I Kit/Diazepam Injectors*
- *Mouflage Kits*

■ Primary Marksmanship Instruction (PMI) Training Aids

- *Rifle Rest*
- *Target Paddle*
- *Riddle Device*
- *M16 Sighting Device*
- *LMTS*
- *MACS*

■ Opposing Forces (OPFOR)

- *Shirts*
- *Weapons*
 - *AK47, Sniper Rifle, RPG-7, 9mm Pistol, UZI, PKM machine gun, Grail (In limited quantities).*

■ Unexploded Ordnance (UXO)

- *Mine Kits (US Mines) TIED Kit*

■ Tank Rounds

- *120 mm*
- *SABOT*
- *HEAT*
- *MPAT*

■ AT4 Trainers and Subcaliber

■ Other Training Aids

- *Plastic M16s*
- *Coffins and Flags*
- *Map Boards (limited quantities)*
- *Small noise Simulator*
- *Artillery Simulator*
- *Warlock Trainer*
- *Vehicle ID Kits*
- *Static Display*
- *Grenade ID Kit*

Short Term Equipment/Device Loan (less than 30 days) use DA Form 2062, DA Form 3161, or Material Army Tracking System. Requests for Issue or Turn-In, can be submitted in duplicate to Building #230, or Faxed to 287-3936 at least two working days prior to actual date required. Turn-in will be made using customer's receipt copy. For additional information call 254-287-4593/3619.



Key Loan Equipment

- *Digital Cameras*
- *Bullhorns*
- *PA Systems*
- *Camcorders*
- *Proximas*

Requests for loans should be submitted directly to the Training Aids and Devices Loan Warehouse, Building #230, or by fax at 287-3936. Training and audiovisual items should be listed

alphanumerically and include the nomenclature and device number(s). The period of loan should be requested only for the dates that the items are required to support instruction or training and should be indicated on the loan order. In the event training requirements are canceled, the Service Center should be notified as soon as possible so that requested equipment, devices or material can be made available to other units or activities.



Units and activities not returning items on the date indicated on the loan order are considered delinquent.

Requests for over-the-counter issue/loans should be received a minimum of two working days prior to the scheduled date of use. Requests necessitating the use of the U.S. Postal Service should be received a minimum of 24 days prior to scheduled use. When sufficient lead-time is available, items not stocked or not available will be ordered from appropriate sources. For additional information, call 254-287-4593/3619.

TSC does not provide some DA Forms (such as DA Form 1155 or DA Form 1156) or any DD Forms. The unit S-1 will have to go to the Publication Warehouse to acquire these forms. TMs and FMs will be ordered through the unit S-1.



Engagement Skills Trainer ■ Call 287-3374 to schedule your unit.

Bldg 19031

North Ave & 53rd St.

The Engagement Skills Trainer provides realistic marksmanship and combat scenario training for 12 of the most common small arms and crew-served weapons and individual anti-tank weapons in the Army inventory.

- ❑ Has the feel, weight, recoil, fit and sounds of the actual weapon
- ❑ Multilane individual marksmanship training from zero to qualification
- ❑ Multilane individual and collective gunnery training for static dismounted individual/squad/team/element levels:
 - ✓ Infantry
 - ✓ Scout
 - ✓ Engineer
 - ✓ Military Police
 - ✓ Combat Support
 - ✓ Combat Service Support
- ❑ Realistic Shoot-Don't Shoot Scenarios
 - ✓ Urban Combat
 - ✓ Guard/Security
- ❑ Computer generates targets, terrain and weapons effects in a real-time three-dimensional display that also includes OPFOR weapons and sounds.



The EST 2000 provides the capability to build and sustain marksmanship skills for squad and team fire distribution. It also contains control and judgmental use of force training with computer-generated imagery. The system provides immediate feedback of hit/kill/miss for each firer that permits leaders to evaluate the effectiveness of their unit.

- ❑ The system supports:

<ul style="list-style-type: none"> ✓ M16A2 Rifle ✓ M4 Carbine ✓ M9 Pistol ✓ M249 Machine Gun ✓ M240B Machine Gun 	<ul style="list-style-type: none"> ✓ M2 .50 caliber Machine Gun ✓ MK19 Grenade Machine Gun ✓ M203 Grenade Launcher ✓ M136 Anti-Tank Weapon ✓ M1200 Shotgun
---	---

Technical Specifications: Device No. DVC 07-129, FM 3-22.9, TD-07-6910-702-10

The Engagement Skills Trainer features a wide variety of scenarios in the "Marksmanship", "Tactical Collective Training" and "Judgmental Shoot/Don't Shoot" categories in 5-Man and 10-Man lane configurations.



Improved Moving Target Simulator

Building #19030

53rd Street & Sportsman Drive

The Moving Target Simulator (MTS) provides the soldier with a realistic environment in which to train. The MTS teaches team and unit training tactics in a wartime environment. In the dome of the MTS, soldiers can fire simulated missiles for a fraction of the cost of real missiles while using the exact weapon during training as they would on the battlefield. Defending gunners can see, hear and feel a real battle with as many as three enemy aircraft overhead. Each enemy aircraft has its own infrared signature and countermeasures.

There are eight different background selections each with four different environmental conditions available. Clouds can be projected at will and targets can be jet, rotary wing or propeller aircraft. Realistic friend or foe responses are included and computer generated analysis of each target engagement, including time tagged printouts provide positive gunner tactics reinforcement.



Key Benefits

- Air Defense Training in use of Stinger Missile
 - Computer Driven
 - Moving Targets on Hemispherical Screen
 - Realistic Battlefield Environment
- Available to all units
 - Individual/crew training
- Security Clearance: Confidential



Units requiring scheduling of the MTS need to contact the MTS Maintenance Technician at 287-3640. A DA Form 3903 must be submitted at Building 19030, and a minimum of a *CONFIDENTIAL* clearance is required along with a *Security Access Roster verified by your Battalion S2*.



Observed Fire Trainer and Javelin Simulators ■ **Call 287-3374 to schedule your unit.**

Bldg 19031
North Ave & 53rd St.

The Observed Fire Trainer permits realistic instruction to forward observers in the observation and adjustment of artillery fire and fire planning. The OFT simulates the visual and aural effects that an observer can expect to experience in an observation post (OP) when overlooking a battlefield. The OFT can also be used for exercise preplanning, basic and advanced map reading, and terrain recognition training. The OFT is a



digital computer based trainer that can simulate the visual and audio effects of artillery on simulated targets such as wheeled and tracked vehicles and enemy fighting positions.

The trainer uses the Guardfist II scenario that can simulate gun batteries, each equipped with 155 guns with a variety of ammunition types; including high explosive, air burst, smoke, and illuminating rounds.

✓ Key Benefit – Fire Support Training before Collective Maneuver Training.

The Javelin

The Javelin is a crew served, shoulder fired, anti-armor weapon that replaces the Dragon. The Basic Skills Trainer located at the OFT instructs the soldier crew on target identification, acquisition skills and lock on techniques.



Call the Simulator Lead at
287-3374
Fax: 553-0435



Warrior Skills Trainer

Warrior Skills Trainer ■ Call 287-3374 for information.

Bldg 4510

Warehouse Avenue & 65th Street

(Located inside gated area directly behind the Battle Simulation Center (BSC), Bldg 4501 on Warehouse Avenue & 65th St.)

The Engagement Skills Convoy Trainer provides a unique realistic vehicle mounted HUMVEE combat scenario training.

- ❑ Has the feel of actual convoy movement
- ❑ Four HUMVEES encounter a wide variety of urban and rural settings.
- ❑ Multilane individual and collective gunnery training for static dismounted individual/squad/team/element levels:
 - ✓ Infantry
 - ✓ Scout
 - ✓ Engineer
 - ✓ Military Police
 - ✓ Combat Support
 - ✓ Combat Service Support
- ❑ Computer generates targets, terrain and weapons effects in a real-time three-dimensional display that also includes OPFOR weapons and sounds.



Technical Specifications: Device No. Not Assigned

Configuration: 4-HUMVEE Convoy





Presentation Support

The Audio Visual Section provides VIP presentation support, which includes audio support for change of command, retirement ceremonies, special events and other special interest areas that need audio or video support.



Requests for Presentation Support should be submitted on DA Form 3903, at the Customer Service Center, Building #229 on Battalion Avenue; between 0730 and 1600, Monday through

Friday, except holidays. A few days before the event the requester will be contacted and final coordination will be made. Fax DA Form 3903 to 254-288-7675. For additional information, call the Customer Service Center at 254-287-3909.





Video Teleconferencing

Video Teleconference & Conference Rooms

TSC operates three Video Teleconferencing rooms, five Conference Rooms and Howze Theater...

Video Teleconference

VTC rooms have PCs, DVD Drives, 250 meg Zip Drives, Windows XP Pro, MS Office 2003...

■ Fort Hood VTC I

- Headquarters Building
- Building #1001, Room #E346
- 761st Tank Battalion
- Phone: 288-3399
- Seats 24



■ Fort Hood VTC II

- Battle Simulation Center
- Building #4501, Room #241
- 65th Street & Warehouse Road
- Phone: 288-2909
- Seats 19



■ Fort Hood VTC III

This is a VTC circuit that can be routed to any of the three conference room in the III Corps HQ's building. You will need to contact the Conference Room Scheduling office for scheduling. That phone number is 288-5320.

VTC Capabilities: Your conferences can be recorded by providing a blank VHS videotape. VGT's can be transmitted to all sites involved. Paper VGT's provide the best results. Copies of slides sent from distant sites can be made upon request.

Scheduling: To schedule a Fort Hood VTC call 288-5320 with the following information:

- Date, time frame and the amount of time needed (1 hour, 2 hours) for conference.
- Numbers of sites needed to be involved in the conference.
- POC's and their phone number at each site involved in conference.
- Remember the more time given in advance to schedule the conference, the more likely you will be able to get the conference at the time frame and date you want.

Headquarters Building Conference Rooms

Building #1001, 761st Tank Battalion, has three Conference Rooms. For scheduling information please call 288-5320.

Conference Rooms have networked PCs, CD-ROM Drives, 250 meg Zip Drives, DVD-ROM Drives, Windows XP Pro, MS Office 2003, Projectors (which display power point presentations or VHS videotapes), audio, wireless mouse and laser pointer...



See the SOP for the Headquarters Conference Rooms. The SOP can be

downloaded to your computer and/or printed for future reference.

Conference Room SOP
Slide Template

- **Conference Room #1 "BASTOGNE"**
 - Room #C326
 - One Screen rear projection
 - Seat 24
 - For Command Group Use / VIPs ONLY
- **Conference Room #2 "AISNE MARNE"**
 - Room #W320
 - Two Screens one projector each
 - Seats 40 = 14 table seats/26 wall seats
 - Staff Use
- **Conference Room #3 "REMAGEN"**
 - Room #W109
 - Three Screens one projector each
 - Seats 130
 - Theater Type

Battle Simulation Center Conference Rooms

Building #4501, 65th Street & Santa Fe, has two Conference Rooms. For scheduling information please call 288-2716.

Conference Rooms have networked PCs, CD/DVD-ROM Drive, 250 meg Zip Drives, Windows XP Pro, MS Office 2003, Projectors (which display PowerPoint presentations or VHS videotapes), audio, wireless mouse and laser pointer...

- **Conference Room**
 - Room #245
 - One Screen three video projectors
 - Seat 70
- **Auditorium**
 - Room #108
 - One screen three video projectors
 - Seats 300
 - Auditorium

Howze Theater

- **Contact Education Services Devision, Bldg # 33009, 254-287-2986 to reserve the facility.**
- **Complete a DA Form 3903 to the Customer Service Center to request sound and facility support.**

**III Corps and Fort Hood
TRAINING SUPPORT CENTER
IMSW-HOD-PL-PLT
Fort Hood, Texas 76544-5060**

12 December 2005

STANDARD OPERATING PROCEDURES

1. GENERAL. The mission of the Training Support Center is to provide training resources and support to authorized customers of Fort Hood.
2. PURPOSE. To establish procedures for the preparation and presentation of briefing slides used in Bldg 1001, Battle Simulation Center, and Howze Theater conference rooms.
3. APPLICATION. These procedures are applicable to all personnel who prepare and conduct briefings using the computer/projector systems in Bldg 1001, Battle Simulation Center, and Howze Theater.
4. PROCEDURES.
 - A. Scheduling of Conference Rooms.
 - 1) To schedule use of conference rooms in the III Corps HQ's building, call 288-5320.
 - 2) To schedule use of the conference rooms in the Battle Simulation Center, call 288-2716.
 - 3) To schedule use of Howze Theater, call TSC Customer Service Center, 287-3909.
 - B. Coordination.
 - 1) Briefers will preview presentations on the conference room projectors prior to the scheduled briefing. A presentation which looks great on a computer screen may not look as good when projected on a screen.
 - 2) Briefers will provide their *PowerPoint* presentations at least 24 hours in advance of the presentation to the room facilitator for check of compatibility and adherence to policy.

- 3) When using a videotape in a presentation, a backup tape must be provided.

C. Slide Presentation Guidelines.

- 1) All slides briefed to the Command Group will conform to the template shown in *figure 1*.
- 2) Presentations shall use light on dark/dark on light combinations for background to text contrast. Presentations with dark backgrounds and light text are the most effective.
- 3) Presentations shall use **16**-point font size at a minimum; 18-point font size is easier to read.
- 4) Presentations shall use simple fonts such as **Arial** or **Arial Black**. Fancy fonts, such as Script, are difficult to read.
- 5) Each slide should have **3-4** bullets with **10-12** words per bullet. If the presentation requires extensive text, break it into multiple slides and increase the font size.
- 6) III Corps standard headers will be used on all presentations.
- 7) Presentations not meeting these standards will be returned to the preparer for correction.

D. Presentation Software.

- 1) All briefings will be done in *Microsoft PowerPoint*. No other formats will be accepted. *PowerPoint* on *Microsoft Office 2003* is available. The conference room can support presentations using this or any lower version of *PowerPoint*.
- 2) Each computer used to present briefings will have *Microsoft Policy Editor* activated in order that *Desktop* settings **cannot** be changed..
- 3) Resolution on the computers shall be set at 1024 x 768, 16-bit color, and large fonts.
- 4) All presentations will be done in True Type Fonts for the highest quality and should be "embedded" into the presentation.

- 5) Any embedded **AVI** or **WAV** files should be brought to the attention of the conference room facilitator prior to the beginning of a presentation.

E. Presentation Hardware.

- 1) Projectors must have a minimum 30-minute warm-up period prior to use.
- 2) Computers and computer peripherals are not to be adjusted nor settings changed without consultation with the room facilitator.
- 3) Wireless and table microphones, laser pointers, and wireless mouse may be provided to briefers upon request.

G. Facilitator Responsibilities.

- 1) Facilitators will inspect each conference room each morning for operational status of equipment. The daily equipment checklist will be initialed and filed for future reference.
- 2) All problems will be reported to the immediate supervisor immediately, who will notify A/V maintenance and the COR.
- 3) The A/V maintenance supervisor will fix the problem or provide an alternate solution for immediate conference room use (equipment swap, loan, rental, etc.)
- 4) Facilitator will load backup copies of presentations on all computers in a room in case of failure of a system.

H. This SOP will be reviewed and updated annually or as required.

Tommie W. Tucker
Visual Information Manager


Title 36 Point Arial

- Body in 28 point Arial
 - 24 point Arial
 - 20 point Arial
 - 18 point Arial
 - » 16 point Arial

AVIATION

1
SERIES


- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

TACTICAL ENGAGEMENT SIMULATION SYSTEM (TESS) FOR AH-64D LONGBOW APACHE

DVC 01-086



TRAINING CATEGORY/LEVEL UTILIZED:
Aviation/Level 3

EQUIPMENT REQUIRED, NOT SUPPLIED:
NONE

SOURCE AND METHOD OF OBTAINING:
Not generally available for Issue
(limited production)

SPECIAL INSTALLATION REQUIREMENTS:
NONE

PURPOSE OF TRAINER:
Provides the capability for two-sided real time tactical engagement and realistic casualty assessments.


POWER REQUIREMENTS:
Vehicle Power

PHYSICAL INFORMATION:
System consist of A kit-aircraft software, B kit TADS/Gun MILES lasers SMODIM, TESS Training Missile w/Flashwess and antennas.

PUBLICATIONS:
None

TRAINING AID BLIND FLYING HOOD: CHANNEL VISION PERSONNEL

DVC 01-130



TRAINING CATEGORY/LEVEL UTILIZED:
Aviation/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Generally available through the supply
system as authorized by AR 310-49

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
The trainer is used to teach aviator
personnel instrument flying or blind
flying in fixed wing aircraft.

POWER REQUIREMENTS:
Not Applicable.

PHYSICAL INFORMATION:
8-1/16" x 9-3/8" x 6"

PUBLICATIONS:
FM 1-50

AIRCRAFT SURVIVABILITY EQUIPMENT TRAINER (ASET IV)

DVC Number Unassigned



TRAINING CATEGORY/LEVEL UTILIZED:
Aviation/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
NONE

SOURCE AND METHOD OF OBTAINING:
**Not generally available for Issue
(limited production)**

**SPECIAL INSTALLATION
REQUIREMENTS:**
NONE

PURPOSE OF TRAINER:
**ASET IV simulates threat air defense
radar systems acquiring, prioritizing
and tracking aircraft using IR, IF AND
AAA trackers.**

POWER REQUIREMENTS:
Vehicle Power


PHYSICAL INFORMATION:
**The ASET IV currently has 2 -IR
SAMs, 1-RF SAM, and 2 AAA SAMs as
well as the command and control (C3)
vehicle and a generator.**

PUBLICATIONS:
None

CHEMICAL

3
SERIES

- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

AERIAL RADIOLOGICAL SURVEY TRAINING SET

DVC 03-03

11F7



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 2

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
To provide personnel with classroom training, practice, and to maintain proficiency in the techniques of conducting an aerial radiological survey.

PHYSICAL INFORMATION:
Animated transparency: 13" x 16" x 2"
Laminated maps: 20" x 28"
Overlay transparencies: 8" x 10"
Carrying case: 31" x 22" x 6"
Weight: Carrying case (packed with all items) approximately 60 lbs.

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

Overhead projector
Viewing screen
Tape playback unit


**SPECIAL INSTALLATION
REQUIREMENTS**
None

POWER REQUIREMENTS:
110 V AC

PUBLICATIONS:
None

SIMULATOR, DETECTOR UNIT, CHEMICAL AGENT AUTOMATIC ALARM, M81

DVC 03-06



TRAINING CATEGORY/LEVEL UTILIZED:
Chemical/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
10 ea Battery BA3517/U

SOURCE AND METHOD OF OBTAINING:
Available at Local TSC

**SPECIAL INSTALLATION
REQUIREMENTS**
None

PURPOSE OF TRAINER:
Used with M43A1 Detector, part of the M8A1 Automatic Chemical Agent Alarm, the simulator allows training personnel to simulate the movement of a chemical agent cloud across a battlefield.

POWER REQUIREMENTS:
15 V DC battery or vehicle

PHYSICAL INFORMATION:
Transit Case: 25" x 26" x 13"
Loaded Weight: 45 lbs.

PUBLICATIONS:
TM 3-3365-316-12

RADIAC TRAINING SET AN/TDQ-T12

DVC 03-15



TRAINING CATEGORY/LEVEL UTILIZED:
Chemical (Radiation) Level 3

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
The AN/TDQ-T2 is designed to project a forward directional RF pattern to simulate a radioactive fallout field.

PHYSICAL INFORMATION:
Dimensions/weight
(1) Equipment/Transit Case 17.5" L x 11.6" W x 7.5" H / 12.5lbs. (5.68kg)
(2) Antenna/Cable/Mast Case 8" Dia x 82" L / 19.5lbs. (8.85kg)

EQUIPMENT REQUIRED,
Radiacmeter
M-243/VDR-2
Mobile Transceiver

SPECIAL INSTALLATION REQUIREMENTS:
None

POWER REQUIREMENTS:
12 Volt Vehicle Battery

PUBLICATIONS:
TM-11-6665-TDQT2-12

CHEMICAL AGENT MONITOR TRAINING SYSTEM (CAMSIM001-US)

DVC 03-16



TRAINING CATEGORY/LEVEL UTILIZED:
General 1-3

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
To provide personnel with simulator training to simulate two different types of substances, Nerve agent and Blister agent. This system allows for comprehensive Training and evaluation.

PHYSICAL INFORMATION:
System carry case: 19" x 16" x 8"
CAMSIM simulator
Simulation H Air
Simulation G Air
Set of simulation nozzle filters/case
Total weight 18lbs.

EQUIPMENT REQUIRED
NOT SUPPLIED:
None


SPECIAL INSTALLATION
REQUIREMENTS:
Certified Personnel

POWER REQUIREMENTS:
1-1.5 Volt D Cell Battery
1-9 Volt PP3 Battery
1-6 Volt Lithium Cell
(BA-5800) or 2000 mAH
NiCd D Cells

PUBLICATIONS:
NSN 6665-99-001-9985
GTA 3-6-4

OTHER DEVICES FOR THIS SERIES

TD 3-6-1 NATO CHEMICAL & MINE MARKERS



TE 3-001 SOVIET CHEMICAL MARKERS



JOINT SERVICE LIGHTWEIGHT INTEGRATED SUIT TECHNOLOGY (JLIST)

DVC None Assigned

FSN: 8415-01-444-XXXX



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 3

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
To provide soldiers with practice
overgarments in chemical defense
training

PHYSICAL INFORMATION:
Coat & Trousers Sizes:
Lg Lg Med Sm
Lg Reg Sm Sm
Med Lg Sm XSm
Med Reg
Woodland Camouflage
Desert Camouflage

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
Protective Mask,
Protective gloves
Protective overshoes

**SPECIAL INSTALLATION
REQUIREMENTS:**
None


POWER REQUIREMENTS:
None

PUBLICATIONS:
TM 10-8415-220-10
TC 3-11-55

ENGINEERS

5
SERIES


- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

MODEL BRIDGE: TIMBER-TRESTLE TRAINING AID

DVC 05-08



TRAINING CATEGORY/LEVEL UTILIZED:
Engineer/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
To realistically demonstrate the methods
of assembling the actual bridge, and to
conduct practical exercises in
constructing Class 50/80 Timber Trestle
Bridges.


POWER REQUIREMENTS
None

PHYSICAL INFORMATION:
Chest dimensions: 29" x 27" x 11"; 20 lbs.

PUBLICATIONS:
TM 5-312

TRAINER, MINE CLEARING LINE CHARGE (MICLIC)

DVC-D 05-45



TRAINING CATEGORY/LEVEL UTILIZED:

Combat Arms/Level 3

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

PURPOSE OF TRAINER:

The force-on-force trainer allows the commander to simulate the use of MICLIC for in-stride breaches of mine fields while maintaining the momentum of the attack.

PHYSICAL INFORMATION:

This item consists of the Brewster Device, rifle mount, and safety strap with mounting plate.

EQUIPMENT REQUIRED, NOT SUPPLIED:

**MK-87 Rifle Adapter Kit
Line Rewinding Machine
M16 or M16A1 Rifle
Armorer's Tool Kit
Ten-cap Firing Device
Firing Wire
M195 Ammunition
(5.56mm)**

SPECIAL INSTALLATION REQUIREMENTS:


None

PUBLICATIONS:

**Department of the Navy
TM SW 360-A1-MMO-
010**

PLACED TRAINING MINE KIT

DVC-T 05-41



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Engineer/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used to satisfy mine training standards.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
Transit case: 28 1/2" x 22 1/2" x 14"

PUBLICATIONS:
None

DEMOLITION KIT, CRATERING, TRAINING (MOCK-UP)

**DVC-T 05-42
M270**



TRAINING CATEGORY/LEVEL UTILIZED:
Engineer/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used as an instructional aid to teach
selected personnel the proper procedures
required to operate the M180 Cratering
Demolition Kit.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
A mock-up of the Training Kit,
Cratering, M270 (scale model)

PUBLICATIONS:
None

UNEXPLODED ORDNANCE (UXO) TRAINING AIDS

DVC-T 05-50

SEE PICTURE NEXT PAGE

TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

None

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

**Designed to be used for classroom and
outdoor instruction for UXO training.**

POWER REQUIREMENTS:

None

PHYSICAL INFORMATION:

**Plastic and metal replicas of explosive
ordnance items in all categories except
"dropped".**

PUBLICATIONS:

FM 21-16

UNEXPLODED ORDNANCE (UXO) TRAINING AIDS

DVC-T 05-50




PUBLICATIONS:
None

TIPPY TOMS

FHTD 5-1-1

FHTD 5-1-2



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
To provide mine field marking training.

POWER REQUIREMENTS:
None


PHYSICAL INFORMATION:
6" dia plastic base filled with sand sealed,
3' long steal rod with Flag on top.

PUBLICATIONS:
None

6" dia plastic base filled with sand sealed,
6' long steal rod with Flag on top.

LENSATIC COMPASS MOCK-UP

TD 5-2-6



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
For classroom use to aid in the
instruction of map reading and land
navigation.

POWER REQUIREMENTS:
None

PUBLICATIONS:
None


PHYSICAL INFORMATION:
An 8:1 scale wood replica of a lensatic
compass.

TRAINING AID: TNT BLOCK, DUMMY

TD 5-10-7A

TD 5-10-7B

TD 5-10-7C



**TRAINING CATEGORY/LEVEL
UTILIZED:**

Engineer/Level 3

**EQUIPMENT REQUIRED, NOT
SUPPLIED:**

None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

To realistically demonstrate and
instruct in the methods of placing
explosive charges.

POWER REQUIREMENTS:

None

PHYSICAL INFORMATION:

Wood construction:

5-10-7A- 1/4 lb block 1 1/2" x 3 1/2"

5-10-7B- 1/2 lb block 2" x 3 3/4"

5-10-7C- 1 lb block 2" x 7"



PUBLICATIONS:

None

FIELD ARTILLERY

6
SERIES

- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

ARTILLERY, MINE, AND DEMOLITION NOISE SIMULATOR

DVC 06-19C

NSN 6920-01-120-3405



TRAINING CATEGORY/LEVEL UTILIZED:
Combat/Level 3

**EQUIPMENT REQUIRED,
SUPPLIED:**
12V Battery

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

Two pits approximately 48" deep, 48" wide, and 48" long are required. One pit used for the explosion chamber. The other pit is for the oxygen and propane cylinders and timing assembly. The pits should be separated by at least one foot of earth and reinforced by 4" x 4" corner posts with 2" x 6" side boards to prevent the walls from collapsing due to the shock experienced when the device is detonated.

PURPOSE OF TRAINER
**To provide realistic simulation of
common battle noises.**

PHYSICAL INFORMATION:
Firing Chamber Assembly:
24" x 24" x 32 1/2" high.
Timing Box: 18" x 13" x 5 1/2" high.
Total Weight: 125 lbs.

PUBLICATIONS:
NAVTRADEV P-4909,
Operation and
Maintenance Guide.

TRAINING SET, FIRE OBSERVATION

DVC 06-61A

NSN – Not Assigned



TRAINING CATEGORY/LEVEL UTILIZED:

Field Artillery/Level 3

**EQUIPMENT REQUIRED,
SUPPLIED:**

Per Local Requirements

SOURCE AND METHOD OF OBTAINING:

Available at the local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

Per Local Requirements

PURPOSE OF TRAINER

To Provide sustainment training at reserve center and armories. Training benefits in map reading, fire planning, and other forward observer procedures will also be realized.

**POWER REQUIREMENTS:
110/120 AC**


**PUBLICATIONS:
None**

PHYSICAL INFORMATION:

N/A

Multiple Launch Rocket System (MLRS) Training System MLRS-T

DVC 06-72



TRAINING CATEGORY/LEVEL UTILIZED:
Field Artillery/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
Actual MLRS Vehicle

SOURCE AND METHOD OF OBTAINING:
Available at local TSC, for MLRS
equipped units only.

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
This device provides a realistic
training environment with real time
hit/kill feedback. System duplicates
all engagement tasks through the
use of laser firings.

POWER REQUIREMENTS:
Vehicle System Power

PHYSICAL INFORMATION:
Transit Cases
63" x 26" x 23" 190 lbs
32" x 21" x 20" 105 lbs


PUBLICATIONS:
ICEAMLRST90526
MLRS T Kit Installation
Guide 2-22-05

SURVEY WITNESS STAKE, AND SURVEY HUB STAKE

TD 6-8-1 (L)

TD 6-8-2 (L)

TD 6-8-5 (L)



TRAINING CATEGORY/LEVEL UTILIZED:

Field Artillery/Level 1, 2

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

None

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

**Used to mark survey location for
artillery fire.**

POWER REQUIREMENTS:

None

PHYSICAL INFORMATION:

Wood construction:

TD 6-8-1 (L) - 1 1/2" x 2'

TD 6-8-2 (L) - 3/4" x 6"

TD 6-8-5 (L) - 1 1/2" X 3'


PUBLICATIONS:

None

INFANTRY

7
SERIES


- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

TRAINER, MORTAR, PNEUMATIC

**DVC 07-13A
M32**



TRAINING CATEGORY/LEVEL UTILIZED:
Infantry/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

Ammunition:
cartridge, blank, .22
caliber 60mm, 81mm,
or 4.2-inch mortar.

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:
For use in the training of 4.2-inch,
60 mm, and 81 mm mortar crew.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
Trainer M32 or M32A1 complete
30" x 17"; 61 lbs.
Simulator gun assembly: 47 lbs.
Cabinet group: 183 lbs.

PUBLICATIONS:
TM 9-6920-212 Series

SMALL ARMS, FLASH-NOISE GUNFIRE SIMULATOR

DVC 07-22D



TRAINING CATEGORY/LEVEL UTILIZED:
Infantry/Level 3

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
To provide for simulated small-arms gunfire (rifle or machine gun noise and flash) for infantry training.

PHYSICAL INFORMATION:
Gun Simulator: 51" x 19" x 46"; 36 lbs.
Carrying Case: 13" x 12" x 23": 137 lbs. for Simulator, Small Arms, Converter: 8" x 7"; 6 lbs.

EQUIPMENT REQUIRED, SUPPLIED:
One 24-volt storage battery (for optional DC operation only), One 3-conductor electrical cable (AC power.)

SPECIAL INSTALLATION REQUIREMENTS:
None


POWER REQUIREMENTS:
110/220 V AC, single-phase or 24 V DC.

PUBLICATIONS:
For earlier models use: NAVSO P-2964, Handbook with Parts List Flash-Noise, Device 3F63.

CONVERSION KIT, 5.56 MM (RIMFIRE)

DVC 07-55

M261



TRAINING CATEGORY/LEVEL UTILIZED:

Infantry/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

**.22 caliber rimfire
ammunition**

SOURCE AND METHOD OF OBTAINING:

Available at Local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

**The Conversion Kit (CK) provides a
method to use .22 caliber, LR,
rimfire ammunition in the M16
16A1 Rifle for individual training
purposes.**

POWER REQUIREMENTS:

None

PHYSICAL INFORMATION:

**Bolt adapter assembly: 8.75"; 1 lb.
Magazine insert 3"; 4 oz.**

PUBLICATIONS:

FM 23-9

FM 38-750

TM 9-1005-249-Series

SIMULATOR SYSTEM, FIRING, LASER: M16A1 RIFLE

DVC 07-56/1

M60



TRAINING CATEGORY/LEVEL UTILIZED:

Combat Arms/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

**Battery, BA 3090 (9V
transistor)**

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

**MILES is a family of training
systems, which simulate the effects
of direct-fire weapons at their
operational ranges and operate in a
fully integrated tactical training
environment.**

POWER REQUIREMENTS:
9V DC

PUBLICATIONS:

**TM 9-1265-211-10
TM 9-6920-370-10-1
TM 9-6920-368-10-1**


PHYSICAL INFORMATION:

Transit case: 29" x 22" x 28"

SIMULATOR SYSTEM, FIRING, LASER: M60 MACHINEGUN

DVC 07-56/2

M61



TRAINING CATEGORY/LEVEL UTILIZED:

Combat Arms/Level 3

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

PURPOSE OF TRAINER:

MILES is a family of training systems, which simulate the effects of direct-fire weapons at their operational ranges and operate in a fully integrated tactical training environment.

PHYSICAL INFORMATION:

Weight: Approx. 2 lbs.

EQUIPMENT REQUIRED, NOT SUPPLIED:

Battery, BA 3090 (9V, transistor), Firing attachment, Blank ammunition M13A1; Cartridge, 7.62mm blank, M82 Linked with M13 Link.

SPECIAL INSTALLATION REQUIREMENTS:

None

POWER REQUIREMENTS:

9V DC


PUBLICATIONS:

TM 9-1265-369-10-2

SIMULATOR SYSTEM, FIRING, LASER: DRAGON

DVC 07-56/3

M62



TRAINING CATEGORY/LEVEL UTILIZED:

Combat Arms/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

**Battery, BA 3090 (9V,
transistor)**

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

**MILES is a family of training
systems, which simulate the
effects of direct-fire weapons at
their operational ranges and
operate in a fully integrated
tactical training environment.**

POWER REQUIREMENTS:

9V DC

PHYSICAL INFORMATION:

Transit Case: 47" x 23" x 20"

PUBLICATIONS:

TM 9-6920-368-10-1

SIMULATOR SYSTEM, FIRING, LASER: VIPER

DVC 07-56/4

M68



TRAINING CATEGORY/LEVEL UTILIZED:

Combat Arms/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

**Battery, BA 3090 (9V,
transistor)**

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

**MILES is a family of training
systems, which simulate the effects
of direct-fire weapons at their
operational ranges and operate in a
fully integrated tactical training
environment.**

POWER REQUIREMENTS:

9V DC

PHYSICAL INFORMATION:

Transit Case: 50" x 21" x 13"


PUBLICATIONS:

TM 9-6920-368-10-3

SIMULATOR SYSTEM, FIRING, LASER: M113 APC

DVC 07-56/5

M63



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

**Battery, BA 3090 (9V,
transistor), Battery, BA
200 (6v, lantern)**

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:
**MILES is a family of training
systems which simulate the effects
of direct-fire weapons at their
operational ranges and operate in
a fully integrated tactical training
environment.**

POWER REQUIREMENTS:
9V DC / 6V DC


PHYSICAL INFORMATION:
Transit Case: 50" x 21" x 13"
M113 Rails: 55" x 15" x 15"

PUBLICATIONS:
TM 9-6920-370-10-3

SIMULATOR SYSTEM, FIRING, LASER: M60A1/A3 TANKS

DVC 07-56/7

M65



TRAINING CATEGORY/LEVEL UTILIZED:

Combat Arms/Level 3

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

PURPOSE OF TRAINER:

MILES is a family of training systems, which simulate the effects of direct-fire weapons at their operational ranges and operate in a fully integrated tactical training environment.

PHYSICAL INFORMATION:

**Transit Case:
36" x 35" x 16"**

EQUIPMENT REQUIRED, NOT SUPPLIED:

Battery, BA 3090 (9V, transistor) Battery, BA 200 (6V, lantern) Firing attachment, blank ammunition, M20 Cartridge, .50 caliber blank, for M85 Machine gun Device 17-61, Tank Gunfire Simulator, (WESS)

SPECIAL INSTALLATION REQUIREMENTS:

None

POWER REQUIREMENTS:


6V DC and 9V DC

PUBLICATIONS:

TM 9-1265-369-10-1

CONTROLLER'S GUN, SIMULATOR SYSTEM, LASER

DVC 07-56/9
M251



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
Battery, BA 3090 (9V,
transistor)

SOURCE AND METHOD OF OBTAINING:
Available at local TSC.

PURPOSE OF TRAINER:
MILES is a family of training systems, which simulate the effects of direct-fire weapons at their operational ranges and operate in a fully integrated tactical training environment.

**SPECIAL INSTALLATION
REQUIREMENTS:**
None


**POWER
REQUIREMENTS:**
9V DC

PHYSICAL INFORMATION:
Transit case: 29" x 28" x 13"
(11 ea. per box)

PUBLICATIONS:
TM 9-6920-371-14 and P

SIMULATOR SYSTEM, FIRING, LASER, M83, M2/M3

DVC 07-56/10



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 3

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
MILES is a family of training systems, which simulate the effects of direct-fire weapons at their operational ranges and operates in a fully integrated tactical training environment.

PHYSICAL INFORMATION:

Transit cases:
Equipment: 53" x 44" x 13"
TOW Tubes: 63" x 26" x 24"
Weight Loaded: 310 lbs.

EQUIPMENT REQUIRED, NOT SUPPLIED:

Battery, BA 3090 (9V, transistor) Battery, BA 200U (6 V, lantern)


SPECIAL INSTALLATION REQUIREMENTS:
None

POWER REQUIREMENTS:
9V DC/6V DC

PUBLICATIONS:
TM 9-1265-375-10

SIMULATOR SYSTEM, FIRING, LASER: M73 FOR M901 IMPROVED TOW VEHICLE

DVC 07-56/11



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
**Battery, BA 3090 (9V,
transistor) Battery, BA
200U (6V)**

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
**MILES is a family of training
systems, which simulate the
effects of direct-fire weapons at
their operational ranges and
operate in a fully integrated
tactical training environment.**

POWER REQUIREMENTS:
6V DC/9V DC

PHYSICAL INFORMATION:
Transit Cases:
37" x 35.5"W x 16.5"H

PUBLICATIONS:
TM 9-1265-202-10

SIMULATOR SYSTEM, FIRING, LASER, XM82, F/M1

DVC 07-56/12



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
**Battery, BA 3090 (9V,
transistor), Battery, BA
200u (6v, lantern)**

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
**MILES is a family of training
systems, which simulate the
effects of direct-fire weapons at
their operational ranges and
operate in a fully integrated
tactical training environment.**

**SPECIAL INSTALLATION
REQUIREMENTS:**
None


POWER REQUIREMENTS:
9V DC

PHYSICAL INFORMATION:
**1 transit case
48" x 41" x 16"
16.9 cu. ft., 160 lbs.**

PUBLICATIONS:
TM 9-1265-373-10

SIMULATOR SYSTEM, FIRING, LASER: M89/M90

**DVC 07-56/13 (M89) FOR M16A1/A2
07-56/14 (M90) FOR M249/SAW**



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
Battery, BA 3090, 9V

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

**Mounting bracket must
be Used with M249,
Squad Automatic
Weapon (SAW).**

PURPOSE OF TRAINER:
**MILES is a family of training
systems which simulate the effects
of direct-fire weapons at their
operational ranges and operate in
a fully integrated tactical training
environment.**

POWER REQUIREMENTS:
9V DC

PHYSICAL INFORMATION:
Weight: Approx. 1.4 lbs.

PUBLICATIONS:
TM 9-1265-211-10

MOBILE INDEPENDENT TARGET SYSTEM (MITS)

DVC 07-56/15



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 3

EQUIPMENT REQUIRED,
NOT SUPPLIED

4 ea 6 volt battery
BA 200

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

SPECIAL INSTALLATION
REQUIREMENTS:

None

PURPOSE OF TRAINER:

The MTS is a MILES Laser Detection Training Device that will allow the HMMW and other service support vehicles such as trucks, ambulances, bulldozers, fuel tanks, etc., to participate in force-on-force training exercises.

POWER REQUIREMENTS:

None

PHYSICAL INFORMATION:

Transit Case: 24" x 18" x 12"
Weight: 45 lbs

PUBLICATIONS:

TM 10-1670-206-23

RIFLE MARKSMANSHIP TRAINER WEAPONER

DVC 07-57A



TRAINING CATEGORY/LEVEL UTILIZED:
Infantry/Level 2

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC (limited quantities). Advanced scheduling required. Must have attended class.

**SPECIAL INSTALLATION
REQUIREMENTS:**
Training area (shielded from elements); minimum 72" wide x 216" long x 96" high.

PURPOSE OF TRAINER:
The Rifle Marksmanship Trainer allows diagnosis of M16A2 rifleman's firing problems and provides remedial training without using ball ammunition or range facilities.

POWER REQUIREMENTS:
110 V AC, single phase, 60 hz

PUBLICATIONS:
TM-9-1005-249 Series
FM 23-9

PHYSICAL INFORMATION:
Range assembly with cables and M16A2 Rifle: 99" x 29" x 7"; 119 lbs.
Target assembly with cover: 17" x 29" x 24"; 64 lbs.
Display console with accessories: 23" x 29" x 32"; 94 lbs.
Firing pad: 99" x 24" x 1"; 45 lbs.
Foxhole pads: 88" x 25" x 1"; 75 lbs.
Elevator guide rack: 3" x 26" x 61"; 21 lbs.

**SCHEDULED OPERATOR
CLASSES:**
To schedule a Train the Trainer class submit DA form 3903-R-E at Bldg 229. Train the Trainer Classes do not conduct remedial marksmanship.

FIRING ATTACHMENT, BLANK AMMUNITION: M2 MACHINE GUN

**DVC 07-59
M19**



TRAINING CATEGORY/LEVEL UTILIZED:
Combat ARMS/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
M2 Machine Gun;
M1A1 Blank
Ammunition

SOURCE AND METHOD OF OBTAINING:
Available at local TSC or DISCOM

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
The device permits firing of linked
blank .50 caliber ammunition with
the M2 machine gun.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
Length: 33"; Diameter: 5"

PUBLICATIONS:
TM 9-6920-434-12 & P

SIMULATOR SYSTEM, FIRING, LASER: STINGER

DVC 07-65/7



TRAINING CATEGORY/LEVEL UTILIZED:
Air Defense Artillery/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
**Battery, BA 3090
(9 V transistor)**

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
**This device provides a realistic
training environment with real time
hit/kill feedback. System duplicates
all engagement tasks through the use
of laser firings.**

POWER REQUIREMENTS:
9 V DC

PHYSICAL INFORMATION:
Transit Case: 65" x 12" x 13"
Weight: 80 lbs.

PUBLICATIONS:
TM 9-1265-209-10

LAUNCHER, PRACTICE SUBCALIBER AMMUNITION

DVC 07-68

M287



TRAINING CATEGORY/LEVEL UTILIZED:
Infantry/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

**9 mm Tracer
Ammunition M939**

SOURCE AND METHOD OF OBTAINING:
**Generally available through the
supply system as authorized by AR
310-49.**

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:
**Using a barrel modified to accept
a 9mm tracer bullet, the device
simulates the AT-4 weapon in
weight, balance, physical
characteristics, and gunner
operation.**

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:

System weight: 15 lbs.
Length: 40 inches
Action: mechanical

PUBLICATIONS:
TM 9-6920-886-14 & P

M16A1 PLASTIC RIFLE

DVC-T 07-83



TRAINING CATEGORY/LEVEL UTILIZED:
N/A

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for drill and ceremony
instruction, physical training, and
demonstrations.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
A full-scale, three-dimensional
plastic replica of the M16A1 Rifle
with a modified barrel.

PUBLICATIONS:
None

M16 SIGHTING DEVICE

DVC T 07-84



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at Local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Permits Coach/Trainer to observe
the firer's sight alignment and
aiming point.

**POWER
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
Metal frame with tinted glass reflector.

PUBLICATIONS:
None

TARGET BOX PADDLE

DVC-T 07-86



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Practicing with this device insures
that firers can find the same aiming
point each time they fire.


**POWER
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
A plate of Plexiglas, 12 5/8" in
length, with a silhouette target
(scaled for 250 meters at 25 meters
and 15 yards) on each end.

PUBLICATIONS:
None

RIDDLE SIGHTING DEVICE

DVC-T 07-87



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
The device is used to train individual soldiers in obtaining the correct sight picture.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
A silhouette target printed on a plastic strip, which adheres to a small metal frame that attaches to the front sight of the M16A1 Rifle.

PUBLICATIONS:
None

BRADLEY FIGHTING VEHICLE OPERATION DESERT STORM (BFV-ODS)

DVC-T 07-97



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
**Provides portable enhanced unit
sustainment training for the
Bradley ODS.**

**SPECIAL INSTALLATION
REQUIREMENTS:**
Must have NET

PHYSICAL INFORMATION:
**Portable Compact Disc, LCD &
Interactive Player w/remote
S-Video Cable
Audio Cable
Video Cable
Carrying Case
Bradley ODS CDI Disk
12 V DC Vehicle Power Adapter
Rechargeable Battery**

POWER REQUIREMENTS:
**110 VAC
12 V DC
Rechargeable Battery**

PUBLICATIONS:
**Instructor's Guides
Student's Guides
Operator's Manual**

BRADLEY FIGHTING VEHICLE OPERATION DESERT STORM (BFV-ODS)

DVC-T 07-98



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
Monitor

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
Must have NET

PURPOSE OF TRAINER:
**Provides enhanced unit sustainment
training for the Bradley ODS.**

PHYSICAL INFORMATION:
CDI Player Desktop w/remote
Instructor's Guides &
S-Video Cable
Student's Guides
Audio Cable
Operator's Manual
Video Cable
Bradley ODS CDI Disk

**POWER
REQUIREMENTS:**
110 VAC

PUBLICATIONS:
Instructor's Guides
Student's Guides
Operator's Manual

JAVELIN BASIC SKILLS TRAINER

DVC 07-126

NSN 6920-01-446-5161



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
NONE

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
NONE

PURPOSE OF TRAINER:
Designed for classroom use, to teach basic target identification, acquisition, and lock on skills to gunners.


POWER REQUIREMENTS:
US 110V AC, 60HZ, 9A
European 220V AC,
50HZ, 9A

PHYSICAL INFORMATION:
Launch Tube Assembly:
Weight 9.0 pounds (4.1 Kg)
Length 47.2 inches (1198.0 mm)
Diameter 5.6 inches (142.1 mm)

PUBLICATIONS:
9-6920-666-10

RIFLE REST

FHTD 7-1-6



TRAINING CATEGORY/LEVEL UTILIZED:
Infantry/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at Local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used in Target Box Exercise

POWER REQUIREMENTS:
None


PHYSICAL INFORMATION:
Wood Construction
18 1/2" x 11" x 12 1/2"

PUBLICATIONS:
None

SAFETY BLOCK, MACHINE GUN

FHTD 7-1-23

FHTD 7-1-24



**TRAINING CATEGORY/LEVEL
UTILIZED:**

Infantry/Level 3

**EQUIPMENT REQUIRED,
SUPPLIED:**

None

**SOURCE AND METHOD OF
OBTAINING:**

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

**Prevent bolt from
accidentally closing.**

POWER REQUIREMENTS:

None

PHYSICAL INFORMATION:


Wood Construction

PUBLICATIONS:

None

CRATER SIMULATIONS (IMPACT SIGHT)

FHTD 7-1-41



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 3

**EQUIPMENT REQUIRED,
SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used to aid in identification of type
or round and direction of fire.

**POWER
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
Cast to scale of actual crater.
Constructed of wood and fiberglass.
Overall size 44" x 44".

PUBLICATIONS:
None

MEDICAL

8
SERIES


- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

DOLL, NURSING TECHNIQUE TRAINING

DVC 08-01



TRAINING CATEGORY/LEVEL UTILIZED:
Medical/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at Local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Intended to be used by military
medical personnel at all levels of
medical training and evaluation of
basic nursing care.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
Life size adult.

PUBLICATIONS:
Manufacturer's
Instruction Guide

WAR-WOUND MOULAGE SET

DVC 08-04



TRAINING CATEGORY/LEVEL UTILIZED:
Medical/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at Local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
This device is an enhancement of device "Advance Military Make-Up Casualty Simulation Kit" and provides the means to train military personnel in first aid treatment of combat-type casualties and permits trainees to practice and develop first aid skills.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
Life size - 29 lbs - 2.2 cu. ft.

PUBLICATIONS:
AHS TTP 8-3 Pamphlet
"How to Moulage"

INTRAVENOUS THERAPY TRAINER

DVC 08-05
11E1



TRAINING CATEGORY/LEVEL UTILIZED:
Medical/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
Needle

SOURCE AND METHOD OF OBTAINING:
Available at Local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
To provide safe, realistic, and
painless practice in performing
intravenous injections in the human
antecubital area.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
Dimensions approximately 24" x 6"

PUBLICATIONS:
None

CASUALTY SIMULATION KIT

DVC 08-14
11E10



TRAINING CATEGORY/LEVEL UTILIZED:
Medical/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at Local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
The device provides materials for realistically simulating many types of wounds incurred in battle or disaster.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
Kit 15" x 9" x 14"; 25 lbs.

PUBLICATIONS:
FM 8-23

MANIKIN, RESUSCITATION TRAINING

DVC 08-15



TRAINING CATEGORY/LEVEL UTILIZED:
Medical/Level 3

SOURCE AND METHOD OF OBTAINING:
Available at Local TSC

PURPOSE OF TRAINER:
The device provides realistic practice in mouth-to-mouth and/or cardiopulmonary resuscitation.

PHYSICAL INFORMATION:
Life size, non-inflatable body with removable head.

EQUIPMENT REQUIRED, SUPPLIED:

Letter
"Recommendations for Decontaminating Manikins Used in CPR Available at local TSC Training, 1983 Update."

SPECIAL INSTALLATION REQUIREMENTS:

None

POWER REQUIREMENTS:

10 AA's or 6 D Cell depending on model provided.

PUBLICATIONS:
Commercial Manual

MANIKIN, RESUSCITATION TORSO

DVC 08-16



TRAINING CATEGORY/LEVEL UTILIZED:
Medical/Level 3

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
To provide a realistic human blood circulation system to be used to demonstrate and train both artificial ventilation and external cardiac compressions.

PHYSICAL INFORMATION:
Device: 24" x 15" x 8" Weight 35 lbs
Carrying Case: 26" x 17" x 10"

EQUIPMENT REQUIRED, SUPPLIED:
Letter
"Recommendations for Decontaminating Manikins Used in CPR Training, 1983 Update."

SPECIAL INSTALLATION REQUIREMENTS:
None

POWER REQUIREMENTS:
None

PUBLICATIONS:
FM 8-230, FM 21-11
STP-21-1-SMCT

MANIKIN, RESUSCITATION TRAINING INFANT

DVC 08-20



TRAINING CATEGORY/LEVEL UTILIZED:
Medical/Level 3

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
The training device provides realistic practice in mouth-to-mouth and/or cardiopulmonary resuscitation on infants.

PHYSICAL INFORMATION:
Infant size, 22" x 11" x 6",
noninflatable body with carrying case;
weight: 11 lbs.

**EQUIPMENT REQUIRED,
SUPPLIED:**

Letter "Recommendations
for Decontaminating
Manikins Used in CPR
Training, 1983 Update."
Battery, 1.5 V DC (size
"AA") 10 each.

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

POWER REQUIREMENTS:
Battery, 1.5 V DC
(size "AA") 10 each.

PUBLICATIONS:
FM 8-230, FM 21-11,
STP-21-1-SMCT

TRAINING KIT, NERVE AGENT ANTIDOTE, MARK I, TYPE I

DVC 08-36



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
The nerve agent antidote auto injector training kit is for training individuals in the proper administration of antidote for Chemical Nerve Agent poisoning without using real injectors.

**POWER
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
Each auto-injector incorporates a removable safety cap. The assembled kit comes packaged in a Styrofoam case.

PUBLICATIONS:
FM 21-2-SMCT
STP 21-1-SMCT

TRAINING DEVICE, DIAZEPAM AUTO INJECTION

DVC 08-37



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
The nerve agent antidote auto injector training kit is for training individuals in the proper administration of antidote for Chemical Nerve Agent poisoning without using real injectors. The Diazepam Auto injector is for buddy-aid.

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

POWER REQUIREMENTS:
None


PHYSICAL INFORMATION:
Each device incorporates a removable safety cap. Kit is contained in a plastic case.

PUBLICATIONS:
FM 21-2-SMCT
STP 21-1-SMCT

ORDNANCE

9
SERIES

- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

5.56MM RIFLE TRAINING AID M16A1

DVC 09-19



TRAINING CATEGORY/LEVEL UTILIZED:
Ordinance/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
**For classroom use to aid instruction
in the operation, assembly, and
disassembly of the Rifle, M16A1,
5.56mm.**

**POWER
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
58" x 48" x 20"; 30 lbs.

PUBLICATIONS:
**NAVTRADEV P 3553,
Guide for 2:1 Scale
Mockup of M16A1
Rifle, Device 3 F68**

5.56MM RIFLE TRAINING AID M16A2

DVC 09-20



TRAINING CATEGORY/LEVEL UTILIZED:
Ordinance/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
**For classroom use to aid instruction
in the operation assembly, and
disassembly of the Rifle, M16A2,
5.56mm, and to assist in the
teaching of parts recognition and
nomenclature.**

**POWER
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
58" x 48" x 20"; 30 lbs.

PUBLICATIONS:
**NAVTRADEV P 3553,
Guide for 2:1 Scale
Mockup of M16A1
Rifle, Device 3 F68
FM 23-9**

DUMMY CHARGE, SHAPED

FHTD 9-4-14



TRAINING CATEGORY/LEVEL UTILIZED:
Ordnance/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at Local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
An aid in instruction of proper
placement of actual charge.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
Plastic replica

PUBLICATIONS:
None

KIT, GRENADE IDENTIFICATION

FHTD 9-006



TRAINING CATEGORY/LEVEL UTILIZED:
Infantry/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
For indoor/outdoor classroom
use as an instructor's aid.

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
Each kit contains a replica of each of
the following grenades:
Fragmentation, M68
CS-1, M25A2
Smoke, WP M34
Smoke, Red M18
Incendiary, TH-3 AN-M14A1
Smoke, HC AN-M8
Fragmentation, Delay M67
Fragmentation, Delay M33
Transit Case: 8" x 3 3/4" x 26 1/2"

**POWER
REQUIREMENTS:**
None

PUBLICATIONS:
None

KIT, M203 GRENADE IDENTIFICATION

FHTD 9-007



TRAINING CATEGORY/LEVEL UTILIZED:
Infantry/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC
(limited quantity)

PURPOSE OF TRAINER:
For indoor/outdoor classroom use as
an instructor's aid.

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
Each kit contains a replica of each of
the following grenades:
(1) High-Explosive Dual Purpose (HEDP)
(2) High-Explosive (HE)
(3) Star Parachute
(4) White Star Cluster Round
(5) Ground Marker Round
(6) Practice Round
(7) Tactical CS Round

**POWER
REQUIREMENTS:**
None

PUBLICATIONS:
TM 43-0001-28

QUARTERMASTER 10 SERIES


- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

GRAVES REGISTRATION KIT (GRREG)

DVC-T 10-20



TRAINING CATEGORY/LEVEL UTILIZED:
Quartermaster/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC (limited production).

PURPOSE OF TRAINER:
The Graves Registration Kit is a hands-on exportable device used to train and evaluate personnel in graves registration operations and procedures.

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
The contents of the kit are:

- 1. Carrying case**
- 2. Fingerprint kit**
 - a. case**
 - b. Shovel Card Holder**
 - c. Porelon Inker**
- 3. Skeleton, Unassembled**
- 4. Male Skeleton, Unassembled**
- 5. Dental Models**
- 6. Dental Material Board**
- 7. Skeleton Chart**
- 8. Bone Measuring Device**


POWER REQUIREMENTS:
None

PUBLICATIONS:
AR 638-1
AR 638-30
AR 638-40
FM 10-57 F/TG
TC 10-57 F1/2 (JB)
DD Form 890

SIGNAL

11
SERIES

- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

ADJUTANT GENERAL

12
SERIES

- **DEVICE**
- **GTAs**
- **VIDEOTAPES**




<http://www.hood.army.mil/TSC>

JUDGE ADVOCATE GENERAL

15
SERIES



- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

CHAPLAIN

16
SERIES

- **DEVICE**
- **GTAs**
- **VIDEOTAPES**




<http://www.hood.army.mil/TSC>

ARMOR

17
SERIES


- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

BRADLEY FIGHTING VEHICLE UNIT CONDUCT OF FIRE TRAINER (M2/M3 UCFT)

DVC 17-74
DVC 17-74A
DVC 17-127



TRAINING CATEGORY/LEVEL UTILIZED:

Armor (M3)/ Infantry (M2)/
Armor/Level 1

EQUIPMENT REQUIRED, NOT SUPPLIED:

None

SOURCE AND METHOD OF OBTAINING:

Not generally available for issue
(limited production).

SPECIAL INSTALLATION REQUIREMENTS:

UCFT is installed in
three basic mobile facility
shelters connected to
form a complex.

PURPOSE OF TRAINER:

To train the Gunner and Track
Commander on the Bradley Fighting
Vehicle M2/M3 in organizational
procedures, target acquisition, reticle
aim target engagement and system
management.

POWER REQUIREMENTS:


120/208 V AC, 3-phase.
50/60 Hz, 4-wire maximum
peak power is 125 KVA,
including 20

PHYSICAL INFORMATION:

Computer Shelter: 238.5" x 96" x 96";
Weight: 9,000 lbs.
Integration Shelter 238.5 x 96" x 96";
Weight: 12,000 lbs.
Trainer Shelter: 238.5" x 96" x 96";
Weight: 7,000 lbs.

M21 BLANK FIRING ATTACHMENT

DVC 17-134



TRAINING CATEGORY/LEVEL UTILIZED:
Armor/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available through local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
The M21 Blank firing attachment permits the firing of linked blank 7.62mm ammunition in the M240 Machine Gun.


**POWER
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
Weight: Approximately 3 lbs.
(Each component)

PUBLICATIONS:
TM 9-1005-316-12& P

M60A3/M1 TANK MOBILE CONDUCT OF FIRE TRAINER (MCOFT)

DVC 17-138 (M60A3/M1)



1. - CREW STATION
2. - INSTRUCTION OPERATOR STATION 105
3. - PRINTER
4. - SPECIFIC PURPOSE COMPUTER
5. - GENERAL PURPOSE COMPUTER
6. - DISK
7. - AIR-CONDITIONER
8. - TRAINING ENTRANCE
9. - EMERGENCY EXIT
10. - STORAGE
11. - WALKWAY
12. - ENTER SHELTER POWER CABLE DUCTS
13. - INTER SHELTER SIGNAL CABLE DUCTS
14. - COMPUTER SHELTER
15. - TRAINER SHELTER

TRAINING CATEGORY/LEVEL UTILIZED:
Armor/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
**Not generally available for issue
(limited production)**

**SPECIAL INSTALLATION
REQUIREMENTS:**
**Installed in two basic
mobile facility shelters
mounted on a 45 ft. air-
ride trailer. A 30' X 60'
concrete pad is required
with electrical and
telephone lines.**

PURPOSE OF TRAINER:
**To train the gunner and tank
commander on Abrams M1 and
M60A3 tanks in organizational
procedures, target acquisition, reticle
aim, target engagement and system
management.**

**POWER
REQUIREMENTS:**
**120/208 V AC, 60 Hz,
3-phase, 4-wire**

PHYSICAL INFORMATION:
**45' L x 8' W x 13'6" H;
weight approx. 2,000 lbs.**

PUBLICATIONS:
**TM 9-6920-744-10
TM 9-6920-760-10
TM 9-6920-744-15
TM 9-744-23-100
TM 9-6920-23-109**

THRU-SIGHT VIDEO (TSV SYSTEM)

DVC 17-143



TRAINING CATEGORY/LEVEL UTILIZED:
Armor/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
As described in
TD 9-6920-708-10

PURPOSE OF TRAINER:
The TSV is a vehicle-appended system that provides video and audio recording of gunnery or tactical engagement exercises in real-time.


POWER REQUIREMENTS
None

PHYSICAL INFORMATION:
System consists of three transit cases.
Case #1: 29.75 x 29.75 x 29.25"
Case #2: 29.75 x 29.75 x 31"
Case #3: 29.75 x 29.75 x 29.25"

PUBLICATIONS:
TM 9-6920-708-10

LASER TARGET INTERFACE DEVICE

DVC 17-146



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 3

SOURCE AND METHOD OF OBTAINING:
Available at TSC

PURPOSE OF TRAINER:
Causes the target mechanism to fall down upon receipt of the appropriate laser hit/kill code.

PHYSICAL INFORMATION:
2 Transit Cases Weight: 7 lbs. Each
and are 11" x 4" x 7"

EQUIPMENT REQUIRED, NOT SUPPLIED:
Battery BA 200
(6V lantern)

SPECIAL INSTALLATION REQUIREMENTS:
None

POWER REQUIREMENTS:
12 V DC

PUBLICATIONS:
TM 9-1265-376-10

MAIN GUN SIGNATURE SIMULATOR (MGSS)

DVC 17-180



TRAINING CATEGORY/LEVEL UTILIZED:

Combat Arms/Level 3

SOURCE AND METHOD OF OBTAINING:

Available through local TSC

PURPOSE OF TRAINER:

The Purpose of this trainer is to replace Basic MILES systems at home-station due to age of technology and cost to maintain.

The MGSS is a component of the Multiple Integrated Laser Engagement System 2000 (M2K). The M2K is a family of training systems which simulate the effects of direct-fire weapons at their operational ranges.

FUNCTIONAL DESCRIPTION:

The MGSS is mounted on the M1A1/M1A2 tank and simulates the main gun firing. The MGSS holds 60 pyrotechnics when fully loaded and is "keyless" for safety. When the main gun trigger is activated a signal goes to the MGSS and fires 1 pyrotechnic for each firing. The pyrotechnic creates the flash and bang of the main gun, triggering the Universal Laser Transmitter (ULT).

PHYSICAL INFORMATION:

MGSS Launcher

Interface Cable

**Transit case dimensions: 46.3"L
X 40.7"W X 17.5"H
(1 MGSS Kits per case)**

**EQUIPMENT REQUIRED, NOT
SUPPLIED:**

None

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

POWER REQUIREMENTS:

Vehicle power

APPLICABLE PUBLICATIONS:

9-6920-892-10

REFERENCE PUBLICATIONS:

None

**TRAINING REQUIREMENTS
SUPPORTED:**

ARTEPs 7-15, 17-55, 71-2

MOSCs 11B, 11Z, 19D, 19E, 19Z

BOARD, TANK TIMING

DVC T 17-021



TRAINING CATEGORY/LEVEL UTILIZED:
Armor/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used to time tank gunnery
qualification table

POWER REQUIREMENTS:
1.5 V DC Battery

PHYSICAL INFORMATION

A wooden case containing 8
stopwatches.
Case measures 14" x 10" x 2 1/4"

PUBLICATIONS:
None

ARMOR VEHICLE MODELS (1/35TH SCALE)

DVC-T 17-102



TRAINING CATEGORY/LEVEL UTILIZED:
Armor/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available through local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
These models may be used for
classroom or outdoor instruction in
the recognition of armored vehicles.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
Solid hard plastic, three
dimensional, 1/35th scale models of
American and foreign nation
armored vehicles.

PUBLICATIONS:
None

120MM TRAINING ROUND (HEAT/SABOT) MPAT

DVC T 17-107 SABOT

DVC T 17-108 HEAT

DVC T 17-111 MPAT



TRAINING CATEGORY/LEVEL UTILIZED:

Armor/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

None

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

**Provides the loader with training in
ammunition identification, handling
and chambering experience, safety
practices and damage avoid ability.**

POWER REQUIREMENTS:

None

PHYSICAL INFORMATION:


A replica of the actual service round.

PUBLICATIONS:

None

SNAKE BOARDS (WITHOUT TEXT)

**FHTD 17-004A WOOD
FHTD 17-004B PLASTIC
FHTD 17-004C CANVAS**



TRAINING CATEGORY/LEVEL UTILIZED:
Armor/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
Used to train gunners on the gun
controls.

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
Wood - 6' X 6' Frame covered
w/1/2" MDO BD.
Plastic - 6' X 6' Wood frame
covered w/white plastic.
Canvas - 6' X 6' Canvas w/4
Grommets.

POWER REQUIREMENTS:
None

PUBLICATIONS:
None

WARSAW PACT THERMAL TARGETS (1/20TH SCALE)

FHTD 17-009



TRAINING CATEGORY/LEVEL UTILIZED:
Armor/Level 3

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
Used as an aid for verifying tank thermal sights.

PHYSICAL INFORMATION:
Aluminum Construction
Scale 1:20 (Approx.)
Kit Contains 15 items
Carrying Case 31' x 34"x 8"
Weight: 67 lbs.

EQUIPMENT REQUIRED, NOT SUPPLIED:
Heat Source... Candle, Charcoal, etc

SPECIAL INSTALLATION REQUIREMENTS:
None

POWER REQUIREMENTS:
None

PUBLICATIONS:
None

BORESIGHT & ZERO TARGET PANEL, CANVAS

FHTD 17-011



TRAINING CATEGORY/LEVEL UTILIZED:
Armor/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used as an aid for boresighting.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 6' Canvas with 4 grommets

PUBLICATIONS:
None

SNAKE BOARDS (WITH TEXT)

**FHTD 17-014A WOOD
FHTD 17-014B PLASTIC
FHTD 17-014C CANVAS**



TRAINING CATEGORY/LEVEL UTILIZED:
Armor/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
**Used to train gunners on the gun
controls.**

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
**Wood - 6' X 6' Frame covered
w/1/2" MDO BD.**
**Plastic - 6' X 6' Wood frame
covered w/white plastic.**
**Canvas - 6' X 6' Canvas w/4
Grommets.**

POWER REQUIREMENTS:
None


PUBLICATIONS:
None

ABRAMS COMBINED SOLUTION BOARD

FHTD 17-016A WOOD

FHTD 17-016B PLASTIC

FHTD 17-018 CANVAS



TRAINING CATEGORY/LEVEL UTILIZED:

Armor/Level 3

EQUIPMENT REQUIRED, NOT SUPPLIED:

None

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

PURPOSE OF TRAINER:

Used to test the ability of the CEU to compensate for the values received from the fire control system components and determine a ballistic solution for a given round. The ballistic solution check verifies that the fire control system is correctly implementing ballistic solutions in all main gun channels.

SPECIAL INSTALLATION REQUIREMENTS:

None

POWER REQUIREMENTS:

None

PHYSICAL INFORMATION:

Wood - 6' X 9', 1/2" Plywood,
Painted white.

Plastic - 6' X 9' Wood frame
covered w/white plastic.

Canvas - 6' X 9' Canvas
w/Grommets.

PUBLICATIONS:


TM 9-2350-255-10-2

Appendix F

FM 17-12-1-1

CLOSE-IN BORESIGHT PANEL

FHTD 17-019



FHTD 17-019

TRAINING CATEGORY/LEVEL UTILIZED:
Armor/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
Used to boresight the BFV turret weapon in a restricted or confined area. Allows the BFV crew to identify weapon system errors that decrease firing accuracy, and to become more familiar with the weapon.

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

POWER REQUIREMENTS:
None


PHYSICAL INFORMATION:
Wood - 4' X 8' Wood Frame, 1/2"
Plywood Covering Painted White.

PUBLICATIONS:
None

BORESIGHT PANEL

FHTD 17-020 WOOD

FHTD 17-021A CANVAS



TRAINING CATEGORY/LEVEL UTILIZED:

Armor/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

None

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

**Used to conduct a collimation check
and determine if the MBD must be
collimated.**

POWER REQUIREMENTS:

None

PHYSICAL INFORMATION:

**Wood - 6' X 6' Wood Frame, 1/2"
Plywood Covering Painted White.**


**Canvas - 6' X 6' Canvas,
w/Grommets in Corners.**

PUBLICATIONS:

FM 17-12-1-1

BORESIGHT TEST PANEL

FHTD 17-021B



TRAINING CATEGORY/LEVEL UTILIZED:

Armor/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

None

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

Used for boresight training.

POWER REQUIREMENTS:

None

PHYSICAL INFORMATION:


Wood – 14” X 14” Wood Frame,
½” Plywood Covering Painted
White.

PUBLICATIONS:

None

BORESIGHT PANEL PORTABLE

FHTD 17-024



TRAINING CATEGORY/LEVEL UTILIZED:
Armor/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
Used to conduct a collimation check
and determine if the MBD must be
collimated.

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
Wood – 6' X 6' Wood Frame, 3/4"
Plywood, Painted White, Hinged
w/Black Squares on Opposite
Sides. This unit is hinged, foldable
and therefore portable.

POWER REQUIREMENTS:
None


PUBLICATIONS:
FM 17-12-1-1

TRACKING BOARDS

FHTE 17-024 Plastic

FHTE 17-025 Canvas

FHTE 17-026 Wood



TRAINING CATEGORY/LEVEL UTILIZED:

Armor/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

None

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

PURPOSE OF TRAINER:

**Used to as an effective tool in
training hand-and-eye
coordination, turret control, speed
and accuracy. Consists of 4
separate panels.**

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

POWER REQUIREMENTS:

None

PHYSICAL INFORMATION:

**Plastic – 6' X 6' Wood frame
covered w/white plastic.**

**Canvas – 6' X 6' Canvas w/4
Grommets.**

**Wood - 6' X 6' Frame covered
w/1/2" MDO BD.**


PUBLICATIONS:

FM 17-12-1-2

MILITARY POLICE

19
SERIES

- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

***SAFETY,
FOREIGN
COUNTRIES,
MISCELLANEOUS
GENERAL***

20
SERIES




- **DEVICE**
- **GTAs**
- **VIDEOTAPES**

<http://www.hood.army.mil/TSC>

MAP BOARD EVENT

FHTD 20-004



TRAINING CATEGORY/LEVEL UTILIZED:
General/All Levels

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used to hold Maps and other training
aids during training exercises.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
(2) 1/2" x 24" x 69" plywood
(3) 4" Strap Hinges
1/8" Lexan Pockets
Painted flat black

PUBLICATIONS:
None

MAP BOARD CLEAR

FHTD 20-32A



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used to hold Maps and other training aids during training exercises. Maps can be placed between the two pieces of clear Lexan.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
(2) 16" x 22" Lexan
(1) Strap Hinges

PUBLICATIONS:
None

MAP BOARD CLEAR

FHTD 20-32B



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used to hold Maps and other training aids during training exercises. Maps can be placed between the two pieces of clear Lexan.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
(2) 16" x 22" Lexan
(1) Strap Hinges

PUBLICATIONS:
None

MAP BOARD CLEAR

FHTD 20-32C



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used to hold Maps and other training
aids during training exercises.
Enclosed on three sides and opened
on the top.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
(2) 1/8" x 16" x 22" Lexan
(3) 1/4" Spacer Lexan

PUBLICATIONS:
None

MAP BOARD CLEAR

FHTD 20-32D



TRAINING CATEGORY/LEVEL UTILIZED:

General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

None

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

Used to hold Maps and other training aids during training exercises.

Enclosed on three sides and opened on the top. Lexan is hinged tri-fold, one sheet is 1/4" shorter to fold inside.

A 1/4" spacer is under one hinge.

POWER REQUIREMENTS:

None

PUBLICATIONS:

None

PHYSICAL INFORMATION:

(3) 1/8" x 16" x 22" Lexan

(1) 1/4" x 1/2" x 22" Spacer Lexan

(2) Strap Hinges

FHTD 20-33

PUBLICATIONS:
None

FHTD 20-33A

COMMANDER'S BOARD							COMMANDER'S BOARD							COMMANDER'S BOARD						
S	M	T	W	TH	F	S	S	M	T	W	TH	F	S	S	M	T	W	TH	F	S

CURRENT	M	T	W	TH	F
WK _____					
FOCUS _____					

T-3	M	T	W	TH	F
WK _____					
FOCUS _____					

T-6	M	T	W	TH	F
WK _____					
FOCUS _____					

T-1	M	T	W	TH	F
WK _____					
FOCUS _____					

T-4	M	T	W	TH	F
WK _____					
FOCUS _____					

T-2	M	T	W	TH	F
WK _____					
FOCUS _____					

T-5	M	T	W	TH	F
WK _____					
FOCUS _____					

COMPANY SCHEME

TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for planning during training exercises.

POWER REQUIREMENTS:
None


PHYSICAL INFORMATION:

- (1) 1/2" x 4' x 8" plywood
- (3) 1/8" x 17" x 32" Lexan
- (7) 1/8" x 8" x 30" Lexan
- (1) 1/8" x 17" x 30" Lexan

PUBLICATIONS:
None

TRAINING SCHEDULE BOARD

FHTD 20-34A



TRAINING CATEGORY/LEVEL UTILIZED:

General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

None

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

Used for scheduling during training
and exercises.

POWER REQUIREMENTS:

None

PHYSICAL INFORMATION:

- (1) 1/2" x 4' x 8' plywood
- (20) 9" x 11" Lexan Pockets

PUBLICATIONS:

None

TRAINING BOARD (LONG RANGE TRAINING CALENDARS)

FHTD 20-34B

	T+0		Company Mission	Company METL	Major Training Events, Commanders Goals
	T+1				
	T+2		Platoon METL	Battle Task Assessment	
	T+3		Long Range Training Calendars		Commander's Philosophy

TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for long range training
calendar.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
(1) 1/2" x 4' x 8' plywood
(8) 8 1/2" x 11" Lexan drop in frames
(4) 11" x 8 1/2" Lexan drop in frames
(4) 18" x 24" Lexan frames removable.

PUBLICATIONS:
None

TRAINING BOARD (LONG RANGE CALENDAR)

FHTD 20-34C

Battalion METL	Long Range Calendar							
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%; height: 100px;"></td> <td style="width: 33%; height: 100px;"></td> <td style="width: 33%; height: 100px;"></td> </tr> <tr> <td style="width: 33%; height: 100px;"></td> <td style="width: 33%; height: 100px;"></td> <td style="width: 33%; height: 100px;"></td> </tr> </table>							1st QTR	2nd QTR
3rd QTR	4th QTR							

TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for long range calendar.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
 (1) 1/2" x 4' x 8' plywood
 (6) 8 1/2" x 11" Lexan drop in frames
 (4) 21" x 32" Plexiglas removable
 (1) 32" x 18" Plexiglas removable

PUBLICATIONS:
None

TRAINING BOARD **(OPERATIONS BOARD)**

FHTD 20-34D

<table border="1"> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> </table>									<table border="1"> <tr> <td align="center" data-bbox="584 367 893 409">Operations</td> </tr> <tr> <td data-bbox="584 409 893 840"></td> </tr> </table>	Operations		<table border="1"> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> </table>				
Operations																

TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for scheduling during training
and exercises.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
(1) 1/2" x 4' x 8' plywood
(8) 8 1/2" x 11" Plexiglas drop in frames
(1) 34" x 43" removable Plexiglas
(4) 16" x 21" drop in frames

PUBLICATIONS:
None

BRIEFING COPY HOLDER

FHTD 20-35



TRAINING CATEGORY/LEVEL UTILIZED:
General/All Levels

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
N/A

SOURCE AND METHOD OF OBTAINING:
Available at Local TSC

**SPECIAL INSTALLATION
REQUIREMENTS**
None

PURPOSE OF TRAINER:
Field briefing aid.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
Wood Construction, 12" x 8 1/2" x 9 3/4"
with 3 ring binder

PUBLICATIONS:
N/A

TRAINING SCHEDULE BOARD

FHTD 20-36 Portrait
FHTD 20-36A Landscape



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for scheduling during training
and exercises.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
(1) ½" x 4' x 8' plywood
(27) 9" x 12" Lexan pockets (Portrait
or Landscaped)

PUBLICATIONS:
None

TRAINING SCHEDULE BOARD

FHTD 20-36B Landscape

10 Pockets
10 Pockets
10 Pockets
8 Pockets

TRAINING CATEGORY/LEVEL UTILIZED:

General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

None

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

Used for scheduling during training
and exercises.

POWER REQUIREMENTS:

None

PHYSICAL INFORMATION:


(1) ½" x 4' x 8' plywood
(30) 9" x 12" Lexan pockets
(8) 11"x9" Lexan pockets

PUBLICATIONS:

None

ICON HOLDER

FHTD 20-37



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for holding Icons. Lexan cut to
required size and glued together.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
Sample size:
(1) 1" x 2.5" Lexan (Approximate)
(1) 2" x 2.5" Lexan (Approximate)

PUBLICATIONS:
None

MAP BOARD EXPANDO VAN

FHTD 20-38



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for Map Board in Expando
Vans. Design to hang and store in
Expando Vans.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
68 1/2" x 95 1/2" Actual frame size, frame
covered with 6 mm flat black
corrugated plastic, final cover is clear
Lexan.

PUBLICATIONS:
None

MAP BOARD GREEN PLASTIC

FHTD 20-41



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for Map Boards. Plastic overlay
hangers on top. Foldable and
portable.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
6' x 10' green corrugated plastic folds
to 4' x 6' w/overlay hangers.

PUBLICATIONS:
None

MAP BOARD GREEN PLASTIC

FHTD 20-41A



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for Map Boards. Plastic overlay
hangers on top. Foldable and
portable.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 10' green corrugated plastic folds
to 4' x 6' w/overlay hangers.

PUBLICATIONS:
None

MAP BOARD GREEN PLASTIC

FHTD 20-41B



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for Map Boards. Plastic overlay
hangers on top. Foldable and
portable.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 8' green corrugated plastic folds to
4' x 4' w/overlay hangers.

PUBLICATIONS:
None

MAP BOARD FOLDING

FHTD 20-2-137A



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for Map Boards. Foldable and
portable.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 8' plywood painted light gray
folds to 4' x 4'. No hooks, hanger
or Lexan.

PUBLICATIONS:
None

MAP BOARD FOLDING

FHTD 20-2-137B



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for Map Boards. Foldable and
portable.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 8' plywood painted light gray
folds to 4' x 4'. Hooks & hanger,
but no Lexan.

PUBLICATIONS:
None

MAP BOARD FOLDING

FHTD 20-2-137C



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for Map Boards. Foldable and
portable.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 8' plywood painted light gray
folds to 4' x 4'. Hooks, hanger and
Lexan.

PUBLICATIONS:
None

MAP BOARD FOLDING

FHTD 20-2-137D



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for Map Boards. Foldable and
portable.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 8' plywood painted light gray
folds to 4' x 4'. Hooks, hanger and
Lexan. Lexan Pockets.

PUBLICATIONS:
None

CHALKBOARDS WITHOUT STANDS

FHTE 20-2-2A, 2B, 2C



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for chalkboards without
stand. Unit is portable and can be
hung on walls.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 4' Wood Frame
4' x 6' Wood Frame
4' x 8' Wood Frame

PUBLICATIONS:
None

MAP BOARDS WITHOUT STANDS

FHTE 20-2-4A, 4B, 4C



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for map board without stand.
Unit is portable and can be hung
on walls.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 4' Wood Frame w/Celotex inside
4' x 6' Wood Frame w/Celotex inside
4' x 8' Wood Frame w/Celotex inside

PUBLICATIONS:
None

MAP BOARDS WITH STANDS

FHTE 20-2-6A, 6B, 6C



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for map board with stand.
Unit is portable.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 4' Wood Frame w/Celotex inside
4' x 6' Wood Frame w/Celotex inside
4' x 8' Wood Frame w/Celotex inside

PUBLICATIONS:
None

EASEL, CHALKBOARD & GTA

FHTE 20-2-11



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for holding training aids map
boards and chalk boards.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
1" x 3" material cut to size with the
support legs hinged at the top and
stabilizing ropes at the bottom. The
tray is 1 1/2" sq x 48" and notched to
make the tray. Easel is painted gray.

PUBLICATIONS:
None

EASEL, INSTRUCTOR TOPIC

FHTE 20-2-13



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for holding instructors name
strips and topic.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
3' High tripod w/2' x 2' plywood
front to hold name strips. Painted
gray.

PUBLICATIONS:
None

INSTRUCTOR STAND BOX TYPE

FHTE 20-2-15



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for instructors platform
during training.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
2' x 2' x 4' Open backed, 1 shelf,
sloped top, plywood construction.

PUBLICATIONS:
None

INSTRUCTOR STAND PEDESTAL TYPE

FHTE 20-2-16



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for instructors platform
during training.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4" x 4" Upright w/angled top,
sturdy 2" x 4" wood base.

PUBLICATIONS:
None

SAND BOX

FHTE 20-2-24



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for training.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' X 6' Wood box angled on
4" x 4" Legs.

PUBLICATIONS:
None

EASEL, BRIEFING CHART

FHTE 20-2-53



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for holding briefing charts
and other items during training.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
1" x 1 1/2" wood frame tripod.

PUBLICATIONS:
None

COFFIN

FHTE 20-2-57



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for training.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' X 6' Wood box angled on
4" x 4" Legs.

PUBLICATIONS:
None

INDIVIDUAL SOLDIER

21
SERIES

- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

LEADERSHIP COURTESY & DRILL

22
SERIES



- DEVICE
- GTAs
- VIDEOTAPES



<http://www.hood.army.mil/TSC>

WEAPONS

23
SERIES

- DEVICE
- GTAs
- VIDEOTAPES



<http://www.hood.army.mil/TSC>

M16A1 ANTIPERSONNEL MINE/SMOKE PRODUCING

DVC-T 23-32

DVC-T 23-34



TRAINING CATEGORY/LEVEL UTILIZED:
Weapons/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
**Available at local TSC until
current supplies are exhausted.**

PURPOSE OF TRAINER:
**This device is used for classroom and
outdoor instruction on the
nomenclature and characteristics of
the mine; the arming, handling, and
functioning of the mine; and can also
be used for minefield emplacement
training.**

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
A box of M16A1 Mines consists of:
4 Practice Mines AP M16A1/(2 for smoke)
4 Practice Fuze Mine Comb, M605
1 Spool Assembly
1 Fuzing Mine Wrench, M25

PUBLICATIONS:
None

M21 ANTITANK PRACTICE MINE

DVC-T 23-33



TRAINING CATEGORY/LEVEL UTILIZED:
Weapons/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC until
current supplies are exhausted.

PURPOSE OF TRAINER:
The device is used for classroom and outdoor instruction on the mine characteristics and nomenclature; the arming, handling, and functioning of the mine; and can also be used for minefield emplacement training.

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
A box of M21 Mines consist of:
2 Practice Mines AT M21
2 Practice Fuze M607
2 Practice boosters AT M120
1 Arming wrenches M26
2 Extension rods
2 Bonnets
2 Mine Well Inserts

**POWER
REQUIREMENTS:**
None

PUBLICATIONS:
None

M14 ANTIPERSONNEL MINE (DUMMY)

DVC-T 23-38



TRAINING CATEGORY/LEVEL UTILIZED:
Weapons/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
This device is used for classroom and outdoor instruction on the nomenclature and characteristics of the mine; the arming, handling, and functioning of the mine; and can also be used for minefield emplacement training.

**POWER
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
Plastic Construction
Height: 1 3/4"
Diameter: 2"
Circumference: 6 3/4"

PUBLICATIONS:
None

MILITARY

LAW

27
SERIES

- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

MILITARY INTELLIGENCE

30
SERIES

- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

SUITCASE SAGGER

DVC-T 30-04



TRAINING CATEGORY/LEVEL UTILIZED:
Infantry - All Levels

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
This device is used for classroom and field recognition training to emphasize the lethality, characteristics, and employment of antiarmor systems by the opposing force and to enhance intelligence play.

**POWER
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
A full scale, three-dimensional plastic facsimile of the man portable SAGGER Antitank Guided Missile with fire control mechanism.

PUBLICATIONS:
None

RPG-7 ANTITANK GRENADE LAUNCHER WITH ROUND

DVC-T 30-05



TRAINING CATEGORY/LEVEL UTILIZED:
Infantry - All Levels

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Designed to enhance the realism of
Opposing Force simulation during
tactical training and can also be used
for classroom or field instruction on
foreign nation weapons.

**POWER
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
A full scale, three-dimensional
replica of the RPG-7 Antitank
Grenade Launcher.

PUBLICATIONS:
None

OPPOSING FORCE SMALL ARMS

DVC-T 30-06

AK-47

ASSAULT RIFLE

DVC-T 30-07

RPK SQUAD

MACHINE GUN

DVC-T 30-08

PM-50 PISTOL

(WITH HOLSTER)

(NOT AVAILABLE AT ALL TSCs)



TRAINING CATEGORY/LEVEL UTILIZED:

Infantry - All Levels

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

None

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

**These devices can be used for
classroom or field recognition
instruction, or can be carried during
tactical exercises to add realism to the
portrayal of opposing force troops.**

**POWER
REQUIREMENTS:**

None

PHYSICAL INFORMATION:

**Full-scale, three-dimensional static
plastic replicas of foreign nation
small arms.**

PUBLICATIONS:

None

OPPOSING FORCE GRENADES/MINES

DVC-T 30-09

POMZ-2 ANTIPERSONNEL MINE

DVC-T 30-10

RG-42 ANTIPERSONNEL GRENADE

DVC-T 30-11

RGD-5 ANTIPERSONNEL GRENADE

DVC-T 30-12

RKG-3 ANTITANK GRENADE



TRAINING CATEGORY/LEVEL UTILIZED:

Infantry - All Levels

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

None

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

**These devices can be used for
classroom or field recognition
instruction, or can be carried during
tactical exercises to add realism to the
portrayal of opposing force troops.**

**POWER
REQUIREMENTS:**

None

PHYSICAL INFORMATION:

**Full-scale, three-dimensional plastic
facsimiles of foreign nation
antipersonnel and anti-tank grenades
and mines.**

PUBLICATIONS:


None

OPPOSING FORCE UNIFORM

DVC-T 30-13 OPFOR HELMET

DVC-T 30-16 OPFOR SHIRT

DVC T 30-19 OPFOR ACCOUTERMENTS KIT



TRAINING CATEGORY/LEVEL UTILIZED:

Infantry - All Levels

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

None

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

**The uniform should be used in all
ARTEPS that use an Opposing
Force.**

POWER REQUIREMENTS:

None

PHYSICAL INFORMATION:

**Consists of helmet cover, shirt and
insignia emblem.**

PUBLICATIONS:

None

SA-7 (GRAIL)

DVC-T 30-14



TRAINING CATEGORY/LEVEL UTILIZED:
Infantry - All Levels

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
**The GRAIL is used during
classroom and field instruction to
emphasize the lethality of foreign
nation anti-aircraft capabilities.**

POWER REQUIREMENTS:
None


PHYSICAL INFORMATION:
**A full-scale three-dimensional plastic
and metal replica of the SA-7 Guided
Antiaircraft Missile System
(GRAIL), consisting of the launcher
and removable missile.**

PUBLICATIONS:
None

OPPOSING FORCE UNIFORM

DVC-T 30-16 ARMYWIDE

DVC-T 30-17 NTC



TRAINING CATEGORY/LEVEL UTILIZED:

Armywide - All Levels

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

None

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

**The uniform should be used in all
ARTEPS that use an Opposing Force.**

POWER REQUIREMENTS:

None

PHYSICAL INFORMATION:

**The uniform for Army wide use
consists of a shirt and an
overgarment. The uniform for NTC
use consists of a shirt, overgarment,
and trousers.**

PUBLICATIONS:

None

SVD SNIPER RIFLE

DVC-T 30-18



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Levels 1,2, and 3

**EQUIPMENT REQUIRED,
SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at Local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Use of this Device adds to realism of
OPFOR Troops.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
Scale size plastic replica of the SVD
Sniper Rifle.

PUBLICATIONS:
None

UZI SUBMACHINE GUN

DVC-T 30-24



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 3

**EQUIPMENT REQUIRED,
SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at Local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Familiarize the soldier with the size,
weight and feel of the Uzi
submachine gun

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
The Uzi is a compact, lightweight
weapon manufactured for the Israeli
Army. Length 650mm (extended),
WT-3.5kg, Magazine w/o its 25
round magazine of 9mm rounds,
muzzle velocity – 400m/s and a
cyclic rate of 600 rpm.

PUBLICATIONS:
None

OPFOR IDENTIFICATION PANEL

FHTE 30-1-91



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Levels 1,2, and 3

**EQUIPMENT REQUIRED,
SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at Local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for OPFOR Training. The board
has a special thermal paper on it.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
18" x 30" board, covered with
thermal paper and a red vinyl star
in the middle.

PUBLICATIONS:
None

SPECIAL OPERATIONS

31
SERIES

- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

SECURITY

32
SERIES

- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

SUPPLY, SHIPPING & LOGISTICS MANAGEMENT

38
SERIES



- **DEVICE**
- **GTAs**
- **VIDEOTAPES**

<http://www.hood.army.mil/TSC>

CIVIL AFFAIRS/ MILITARY GOVERNMENT

41
SERIES




- **DEVICE**
- **GTAs**
- **VIDEOTAPES**

<http://www.hood.army.mil/TSC>

AIR DEFENSE

44
SERIES


- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

MOVING TARGET SIMULATOR: (REDEYE/STINGER)

**DVC 44-27
M87
DVC 44-27A
M87A1**



TRAINING CATEGORY/LEVEL UTILIZED:
Air Defense/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
**Not generally available for issue
(limited production).**

**SPECIAL INSTALLATION
REQUIREMENTS:**
**Suitable building or
structure. Requires
minor MCA funding.**

PURPOSE OF TRAINER:
**To provide a means of
presenting aircraft targets to
students in a controlled training
environment, which represents
types, and flight paths that may
be encountered in a defended
area.**

**POWER
REQUIREMENTS:**
**110 V AC, 50 cycle,
3 kva**


PHYSICAL INFORMATION:
Trainer: 48" x 312" x 432"

PUBLICATIONS:
TM 9-6920-427 Series

STINGER TROOP PROFICIENCY TRAINER (STPT)

DVC 44-52

DVC 44-52/1 (PRINTER)



TRAINING CATEGORY/LEVEL UTILIZED:
Air Defense/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

**No. 2 Phillips Screwdriver
3/16 Inch Allen Wrench**

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
The STPT provides SADS (garrison or field environment) training without ordnance expenditure in the following areas:

1. Target identification.
2. Engagement training tasks.
3. Ability to accurately track target.
4. Ability to hit target.

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

**POWER
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
Consists of two units:

1. Instructor station
2. Interface unit


Each unit weighs 164 lbs.
Optional Accessory: Printer

PUBLICATIONS:
TD 44-6920-702-10
Scenario Package

AVENGER CAPTIVE FLIGHT TRAINER (CFT)

DVC 44-55

NSN 6920-01-246-0701



TRAINING CATEGORY/LEVEL UTILIZED:

Air Defense/Level 3

EQUIPMENT REQUIRED, NOT SUPPLIED:

**No. 2 Phillips Screwdriver
3/16 Inch Allen Wrench**

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

PURPOSE OF TRAINER:

**The STPT provides SADS (garrison
or field environment) training
without ordnance expenditure in the
following areas:**

- Target identification.**
- Engagement training tasks.**
- Ability to accurately track
target.**
- Ability to hit target.**

SPECIAL INSTALLATION REQUIREMENTS:

None

POWER REQUIREMENTS:

None

PHYSICAL INFORMATION:

Consists of two units:

- Instructor station**
- Interface unit**
- Each unit weighs 164 lbs.**
- Optional Accessory: Printer**

PUBLICATIONS:

**TD 44-6920-702-10
Scenario Package**

BRADLEY LINEBACKER TABLE TOP TRAINER

DVC 44-95

NSN - Not Assigned



TRAINING CATEGORY/LEVEL UTILIZED:

Air Defense/Level 3

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

PURPOSE OF TRAINER:

Interactive desktop trainer that provides engagement skills training for the M6 Linebacker for initial and unit level sustainment training and crews preparing for gunnery qualifications for the Bradley Linebacker.

PHYSICAL INFORMATION:

Student station – 2 transit cases

Gunner's case – 28"H X 22"W X 22"D, weight ~ 109 lbs

Weapon's case – 28"H X 22"W X 22"D, weight ~ 82 lbs

Commander's case – 28"H X 22"W X 22"D, weight ~ 85 lbs

Instructor Operator Station – 2 transit cases

IOS case 1 ~ 28"H X 27" W X 27"D, weight ~ 164 lbs

IOS case 2 ~ 24"H X 27" W X 27"D, weight ~ 169 lbs

EQUIPMENT REQUIRED, NOT SUPPLIED:

None

SPECIAL INSTALLATION REQUIREMENTS:

None

POWER REQUIREMENTS:

115/220 VAC, 50/60 Hz

REFERENCE PUBLICATIONS:

TBD

ARMY

AVIATION

46
SERIES

- DEVICE
- GTAs
- VIDEOTAPES



<http://www.hood.army.mil/TSC>

TRANSPORTATION

55
SERIES


- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

COMPOSITE TESTING DEVICE FOR CONDUCT OF HANDS ON COMPONENT OF CMF 67 SQT

DVC-D 55-30



TRAINING CATEGORY/LEVEL UTILIZED:
Transportation/Level 2

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER
The CMF 67 is required for the
administration of the hands-on
component of the skill qualification test
(SQT) of the following MOS: 67G, 67N,
67U, 67V, 67X, 68B, 68D, 68F, 68H, 68J,
68M, for at least skill levels 1 and 2.

**POWER
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
Aluminum DATA device 9" wide,
24" in length, 12" high.

PUBLICATIONS:
None

AIRBORNE

57

SERIES

- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

SUPERVISION, OFFICE OPS, MANAGEMENT, ADP

61
SERIES



- **DEVICE**
- **GTAs**
- **VIDEOTAPES**

MISCELLANEOUS 99

SERIES


- **DEVICE**
- **GTAs**
- **VIDEOTAPES**



<http://www.hood.army.mil/TSC>

SMALL ARMS ALIGNMENT FIXTURE (SAAF) M1

DVC 99-25



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 3

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
Used for field alignment of the M16 rifle and M60 machine gun sights to the MILES transmitter beam.

PHYSICAL INFORMATION:
Transit Case: 26" x 31" x 13"
Weight: 60 lbs.

EQUIPMENT REQUIRED, NOT SUPPLIED:
Battery, 6 V (lantern)
3 ea. BA 200


SPECIAL INSTALLATION REQUIREMENTS:
None

POWER REQUIREMENTS:
18 V DC

PUBLICATIONS:
TM 9-6920-436-14 & P

MULTIPLE RANGE ALIGNMENT DEVICE (MRAD) M3

DVC 99-26



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
Battery, BA 300
(6 V lantern) 4 ea.

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used as an aid in the field alignment of
all heavy weapon MILES transmitters.

**POWER
REQUIREMENTS:**
24 V DC

PHYSICAL INFORMATION:
Transit Case: 26" x 31" x 13"
Weight: 65 lbs.

PUBLICATIONS:
TM 9-1270-223-10
TC 25-6-3

LASER ALIGNMENT CONTROL ASSEMBLY (LACA) M175

DVC 99-27



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 3

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

PURPOSE OF TRAINER:
Used to align the Telescopic Sight Unit (TSU) to the laser beam emitted from the MILES TOW transmitter.

PHYSICAL INFORMATION:
8" x 8" x 11"
Weight: 10 lbs.

EQUIPMENT REQUIRED, NOT SUPPLIED:
Battery, BA3090
(9 V transistor)

SPECIAL INSTALLATION REQUIREMENTS:
None

POWER REQUIREMENTS:
9 V DC

PUBLICATIONS:
TM 9-1270-223-10
TC 25-6-3

ELECTRONICS SYSTEMS TEST SET (ESTS) M144

DVC 99-28



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
**Field test set used to isolate faults in
MILES vehicle systems.**


POWER REQUIREMENTS:
**Power supplied by
system under test.**

PHYSICAL INFORMATION:
9" x 14" x 6 "
Weight: 10 lbs.

PUBLICATIONS:
TC 25-6-1

MILES SYSTEM TEST SET (MSTS)

DVC 99-32



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
Battery, BA3090
(9 V transistor)

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Portable field tester used to isolate
faults in MILES systems.


**POWER
REQUIREMENTS:**
9 V DC

PHYSICAL INFORMATION:
Transit Case: 12" x 8 1/2" x 21"
Weight: 21 lbs.

PUBLICATIONS:
TM 9-1265-208-10
TM 9-1270-222-10

LAUNCHER, FIELD HANDLING TRAINER (AT-4)

DVC 99-38



TRAINING CATEGORY/LEVEL UTILIZED:
Infantry/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
This device satisfies the needs of AT-4
Gunners to conduct target acquisition
and procedural gunnery tasks during
instructional and unit training
without a requirement for live firing.

**POWER
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
Device is an actual AT-4 that has
been rendered inert.

PUBLICATIONS:
None

CABLE, M16A1 DRY FIRE

DVC 99-41



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Permits firing of laser transmitter
without blank ammunition.

**POWER
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
Cable is 23" long with connectors and
2 Velcro retaining straps.

PUBLICATIONS:
None

SIMULATOR SYSTEM, FIRING, LASER (SNIPER)

DVC-T 99-45



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Level 3

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC.

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
A component of the Multiple Integrated Laser Engagement System, which simulates the effects of direct fire weapons at their operational range.


**POWER
REQUIREMENTS:**
One 9 V DC battery

PHYSICAL INFORMATION:
Three-part system consists of:
One SAT like transmitter
One mounting bracket
One soft-cap detector assembly

PUBLICATIONS:
TM 9-1265-211-10

TRAINER, TADS SELECTED TASK

DVC 99-47



TRAINING CATEGORY/LEVEL UTILIZED:
Aviation/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
Aircraft Checklist

SOURCE AND METHOD OF OBTAINING:
Not readily available for issue
(limited production).

**SPECIAL INSTALLATION
REQUIREMENTS:**
Minimum area
requirements for the
TSTT'S operation is a
space 10'x10'. Area
should be under climatic
control necessary for
computer operations.

PURPOSE OF TRAINER:
The TSTT is designed to instruct
personnel in the operation of the
TADS and some tactical CPG control
of the AH-64A Apache Helicopter.

PHYSICAL INFORMATION:
Training Console:
30"L x 40"W x 42.5"H
Weight: 220 lbs.
Computer Assembly:
27"L x 18"W x 29"H
Weight: 190 lbs.
Instructor Display:
17"L x 16"W x 12"H
Weight: 301 lbs.

**POWER
REQUIREMENTS:** 115 V
AC, 10A, 60 Hz

PUBLICATIONS:
Manufacturer's Manual

STATIC DISPLAY SIGN

FHTD 99-004



TRAINING CATEGORY/LEVEL UTILIZED:
Combat Arms/Levels All

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for static displays.

**POWER
REQUIREMENTS:**
None

PHYSICAL INFORMATION:
24" x 24" Tripod stand painted
yellow.

PUBLICATIONS:
None

AUDIO VISUAL EQUIPMENT

- **DEVICE**
- GTAs
- VIDEOTAPES



<http://www.hood.army.mil/TSC>

AUDIOVISUAL EQUIPMENT




SOUND SYSTEM FOR RANGE

PA SET, PORTABLE BULLHORN



AUDIOVISUAL EQUIPMENT



**PA SET, AR 62
WIRELESS DESKTOP**

AUDIO CASSETTE RECORDERS



AUDIOVISUAL EQUIPMENT



PUBLIC ADDRESS SYSTEM (Tripods Not Shown)



DIGITAL CAMCORDER



DIGITAL STILL CAMERA

AUDIOVISUAL EQUIPMENT



PROJECTOR, VIDEO



**WIRELESS MICROPHONE
FMR 50/70/100**